Gutierrez, F., 68
Guzman, G.J., 1590

H

Ha, Y.W., 1336
Hachigian, J., 720
Hafez, Y.S., 958
Hafsteinsson, H., 244
Halek, G.W., 173
Halpin, B., 644
Hamada, J.S., 598
Hamann, D.D., 1136
Hamdy, M.K., 902
Hammerschmidt, R., 311
Han, T.J., 809
Hanenian, R., 532
Hansen, A.P., 227
Hansen, T.J., 1461
Hao, D.Y.-Y., 472
Haque, Z., 39, 440, 1341
Hardy, J., 909
Hardy, J.K., 1351
Harlander, S.K., 388
Harper, K.P., 1660
Harrison, M.A., 556
Harry, G.I., 968
Haruthaitanasan, V., 1359
Hasegawa,K., 1607
Hasegawa, S., 1505
Hashimoto, K., 1107
Hashisaka, A.E., 337
Hayakawa, S., 1070
He, F., 315
Headley, L.M., 1351
Heatherbell, D.A., 660
Heaton, E.K., 472
Hebert,J., 1037
Heil, J.R., 1092
Henderson, J.M., 483
Herald, P.J., 461
Herald, T.J., 35
Herman, Z., 1505
Hess, W.M., 315
Heymann, H., 1355
Hicks, K.B., 997, 1096
Hidaka, A., 1070
Higgins, D.P., 1241
Hill, A.R., 573
Hizukuri, S., 177
Ho, C-T., 1611
Hobson, G.E., 376
Hodgson, F.J.A., 1379
Hoehn, E., 105, 324
Hoenecke, M.E., 11
Hoerning, E.F., 581
Hoffman, M.J., 1650
Hong, Y.C., 388
Hoover, D.G., 1547
Hosaka, H., 416
Hosfield, G.L., 311
Hoskin, K.M., 396
Houle, J.-F., 839
Howard, L.R., 1266
Hron, R.J. Sr., 1088
Hsieh, C.Y., 1515
Hsieh, F., 1310
Hsieh, Y.L., 824, 1206
Hsu, A.-F., 362
Hsu, J.C., 660
Hu, C.C., 835
Huang, T-C., 1611
Huber, C.S., 315
Huebner, P.H., 527
Huff, H.E., 1310
Hultin,H.O., 814
Hung, S.S.O., 216
Hung, Y.-C., 96
Hurley, W.I., 766
Hussain, A., 1367
Hussein, A.S., 958
Hwan, S-F., 1426
Hwang, K.T., 1120
Hyvonen, L., 1485

I

Idouraine, A., 114
Iglesias, H.A., 1620
Ilicali, C., 1031
Inada,K., 763
Ingebrigtsen, J., 128
Ingle, M., 493
Ishizaki, S., 1438
Ismond, M.A.H., 1624
Ito, T., 1074
Iversen, E., 1246
Iwamoto, M., 1107

J

Jackman, R.L., 1287
Jackson, E.D., 132
Jackson, E.H., 1086
Jaime, I., 1365
Jambunathan, R., 974, 1293
Jelen, P., 1086
Jen, J.J., 644, 714
Jenkins, R.K., 1461
Jenner, M.R., 1646
Jeon, I.J., 1559
Jiang, Z., 118
Johnson, D.D., 867
Johnson, J.B., 465
Johnson, L.A., 1590
Jones, V.A., 222, 446, 776
Judge, M.D., 297
Julien, J.-P., 839
Juliot, K.N., 90

K

Kader, A.A., 86, 656, 990
Kajimoto, G., 1596
Kamata, Y., 170
Kaminogawa, S., 1225
Kamiscyama, H., 1074
Kang, B., 128
Kanno, C., 1534
Karathanos, V.T., 1496
Kariya, F., 1607
Kas, J., 906
Kato, A., 1345
Kawamura, Y., 379, 1501
Keeton, J.T., 500, 1473
Kemp, J.D., 871
Kermasha, S., 674
Kessler, H-G., 1213
Kester, J.J., 1383, 1390
Khan, R., 931
Khanzada, G., 1450
Khetarpaul, N., 780
Kiceniuk, J.W., 240
Kiesvaara, M., 805
Kim, B.Y., 894
Kim, H., 465, 770
Kim, I-H., 1298
Kim, K.H., 412
Kim, S.H., 25, 491
Kim, S.M., 700
Kim, S.S., 625
King, A.J., 1639
King, J., 1381
King, V.A., 1573
Kinsella, J.E., 39, 170, 440, 743, 893, 1202, 1341
Kirtley, S.A., 224
Kitabatake, N., 1209, 1632
Kitic, D. (5)iv
Klemaszewski, J.L., 440
Knipe, C.L., 505, 541
Knorr, D., 495
Knuckles, B.E., 1348
Kobayashi, K., 1345
Koburger, J.A., 63
Koch, R.M., 521
Koehler, H.H., 1278
Koehler, P.E., 405
Kokini, J.L., 437
Konno, M., 265
Konstance, R.P., 772
Korb, K.A., 778
Koval, J.E., 727
Kozempel, M.F., 362, 772, 985
Kraft, A.A., 18, 302, 545, 549
Kropf, D.H., 846
Krueger, D.J., 1101
Krzynowek, J., 45, 237
Kubota, K., 416
Kuk, M.S., 1088
Kumar, A., 1564
Kunkel, M.E., 1336
Kuo, J.C., 1186
Kuo, S-J., 1488
Kuwahata, M., 1607
Kuwayama, K., 1158
Kuzmicky, D.D., 1348
Kvasnicka, F., 1544
Kwak, H.S., 1559

L

Labuvitch, J.M., 86, 990
Labuza, T.P., 388, 783, 789, 1043
Lachance, R.A., 1238
Ladwig, K.M., 507, 541
Lafrance, M., 839
Lakritz, L., 1569
Lammers, J.M., 683
Lampila, L.E., 248, 567, 1116
Langlois, B.E., 871
Lanier, T.C., 49
Larick, D.K., 521
Larsen, R.F., 917, 922
Lavigne, C., 30
Leahey, J.M., 154
LeBlanc, E.L., 827
LeBlanc, R.J., 827
Lebowitz, S.F., 1407
Leddy, K.F., 291
Lee, C.M., 253
Lee, J., 1413
Lee, S.H., 1222
Lee, Y., 1345
Leffler, R.G., 393
Lemieux, L., 423, 885, 1234
Ler, M.F., 284
Levinson, J.J., 173
Li, Z., 674
Lidster, P.D., 132
Liener, I.E., 606
Lillard, D.A., 1431
Lim, H., 625
Lin, C.F., 1457
Lin, C.S., 1452
Lin, S.W., 561
Lin, T.Y., 405
Lindamood, J.B., 1222
Lindsay, R.C., 90
Linse, E., 1375
Liou, Y-C., 632
Liston, J., 809
Littlejohn, R.P., 1661
Lo, J-R., 1521
Loken, R.G., 1650
Lombardi-Boccia, G., 1441
Lopez, P., 451
Lopez-Lorenzo, P., 1365
Low, N., 118
Lowry, K.R., 1024
Lozano, J.E., 663
Ludington, D.C., 1573
Lund, D.B., 146
Lundahl, D.S., 1255
Lunt, D.K., 1364
Luppi Mosca, A.M., 1492
Lyon, C.E., 843, 1155, 1431

M

Ma, C.-Y., 1450
MacNeil, J.H., 750
Maerker, G., 1475, 1569
Mahoney, R.R., 899
Malmsten, T., 1485
Mann, T.F., 843, 1431
Marangoni, A.G., 1269
Marchello, J.A., 274
Marchesini, A., 374
Marcy, J.E., 227
Marek, S.W., 1310
Marine-Font, A., 1653
Markakis, P., 1084
Marousis, S.N., 1496
Marquez, E., 497
Marquez, E.J., 867
Marriott, N.G., 1173
Marsh, B.B., 11
Marshall, G.A., 564
Marshall, M.R., 63, 233, 253, 478
Marshall, W.E., 598
Marth, E.H., 650
Martin, S.E., 936
Mason, A.C., 319
Mast, M.G., 750
Matoba, T., 1607
Matsumoto, J.J., 231, 258, 481, 796, 800
Matsuura, M., 602
Mattea, M., 194
Matulaitis, R.M., 997
Mazza, G., 1302
McBurney, M.I., 347
McCarthy, K.L., 734
McCarthy, M.J., 1092
McCormack, T.J., 997
McDaniel, M.R., 1255
McDonald, J.E., 132
McDonough, C.M., 330
McFeeters, R.F., 366, 636
McGuire,J., 22, 224
McKeith, F.K., 3, 15, 214
McLachlan, J., 132
McLellan, M.R., 1250
McMilin, K.W., 280, 1072
McPhearson, R.M., 1660
McTigue, M.C., 1278
Mela, D.J., 1098
Mendenhall, V.T., 1
Mendonca, A.F., 18, 302
Meredith, F.I., 1259
Merson, R.L., 734
Metrick, C., 1547
Meyers, S.P., 60
Meyssami, B., 412
Mielke, E.A., 993
Miller, A.J., 855
Miller,E.R., 1193
Miller, M.F., 277, 299, 843, 1198
Min, D.B., 1222
Minagawa, E., 1225
Minami, T., 763
Mittal, G.S., 532
Modler, H.W., 1450
Mohammed, A.I., 958
Molina, R.A., 7, 18, 302
Mondy, N.I., 220, 629, 644, 982
Montes de Oca, F., 1381
Moore, B.M., 1377
Moru-Escobedo, R., 761
Morehouse, S.E., 1061
Morgan, J.N., 427
Morita, M., 763
Morr, C.V., 25
Morris, E., 581
Morrissey, P.A., 1202
Morrow, F.D., 1473
Moshonas, M.G., 82
Mosersky, S.M., 1218
Mudahar, G.S., 714
Mukherjee, R.K., 142
Muller, H., 495
Mulvihill, D.M., 1202
Munshi, C.B., 220
Murphy,J., 45
Murphy, P.A., 1590
Murray, E.D., 1624
Myhara, R.M., 686

N

Naczk, M., 1082
Nagashima, Y., 1438, 1521
Nair, P.M., 489
Narasimha, H.V., 125
Narhan, S.K., 77
Nelson, A.I., 963
Nerkar, D.P., 1111
Ng, P.K.W., 105, 324
Nguyen, T., 396
Nielsen,P.V., 679
Nieto, M.B., 925, 1129
Njoku, H.O., 758
No, H.K., 60
Noble, A.C., 1355
Noguchi, S.F., 231, 258, 481, 796, 800
Noh, B., 889
Nolan, N.L., 846
Normand, M.D., 947, 1013
Novakofski, J., 15, 214
Nunes, R.V., 222, 446, 776

Nussinovitch, A., 1013
Nyman, M.E., 1332

O

O'Mahony, M., 553
O'Palka, J., 1507
O'Riordan, D., 1202
Obata, A., 602
Obisoba, I.C., 1371
Ockerman, H.W., 1186, 1434
Ofuya, C.O., 758
Ogun, P.O., 1084
Ogunsua, A.O., 71
Ohno, S., 487, 1601
Okazaki, E., 1070
Okazaki, Y., 763
Okezie, B.O., 1656
Okitani, A., 1074
Okoli, E.C., 971
Oliss, J.M., 68
Olson, D.G., 527, 545, 549, 850
Onishi, H., 416
Ono, K., 1473
Oonaikul, B., 118
Oria, R., 451
Osorio, F.A., 35
Oszmianski, J., 774
Otwell, W.S., 63, 233, 478
Ou, P., 1505
Ouwadissakoon, C., 1359
Owusu-Yaw, J., 1057
Ozilgen, M., 1003

P

Paakkonen, K., 1485
Pacheco-Aguilar, R., 248, 1116
Padilla, O.I., 1250
Padmanabhan, M., 709, 1584
Pagel, L.A., 11
Palcic, M.M., 118
Palma, R., 68
Panunzio, L.J., 237
Papadopoulos, L.S., 1125
Paredes-Lopez, O., 761, 968, 1373
Parish, M.E., 1241
Park, J., 500
Park, J.W., 49
Park, S., 15
Park, S.W., 874
Parker, K., 244
Parkin, K.L., 1488
Parrett, N.A., 1434
Parris, N., 1218
Parrish, F.C. Jr., 748
Parwal-Desai, S.R., 489
Pasin, G., 553
Paule, C.M., 343
Pearce, R.J., 354, 357
Pearson, A.M., 1193
Peleg, M., 947, 1013
Peng, A.C., 1186
Peng, I.C., 297, 1310
Peng, L.C., 385
Perera, P.A., 958
Perez, M.L., 768
Perkins, B.E., 1660
Permanyer, J.J., 768
Perng, S.K., 1559
Pesselman, R.L., 1650
Petran, R.L., 458
Petrarulo, M., 374
Pflug, I.J., 205
Pham, G.T., 508
Phatak, L., 1615
Phillippy, B.G., 587
Phillips, J.G., 997
Phillips, L.G., 743
Phillips, R.D., 1540
Pierson, M.D., 636
Plhak, L.C., 326, 1078
Plimpton, R.F., Jr., 1434
Polvinen, K., 805
Pominski, J., 187
Pondish, D.L., 997
Poneros-Schneier, A.G., 150
Post, R.C., 1473
Powell, R.L., 483
Powers, J.J., 343
Powers, J.R., 371
Pozarkova, D., 906
Prange, R.K., 132
Pressey, R., 644
Prestamo, G., 760
Price, J.F., 52, 1193
Price, R.J., 216, 567
Proctor, A., 385
Przybylski, L.A., 269
Puchades, R., 423, 885, 1234
Purcell, A.E., 315

Q

Quagliuolo, L., 653
Quantick, P.C., 1379
Quensel, E., 183

R

Ragnarsson, K., 819
Ramaswamy, H.S., 132, 1417
Ranhotra, G.S., 943
Rao, P.V., 974, 1293
Rao, S.K., 1580
Rao, V.N.M., 401
Rasco B.A., 337
Ratnayake, W.M.N., 793
Ratti, C., 738
Rauch, P., 906
Razungles, A., 774
Read, P.E., 388
Reagan, J.O., 277, 299, 284, 843, 1198, 1431
Reddy, N.R., 55
Regenstein, J.M., 819, 824, 1120, 1177, 1206
Reineccius, G.A., 1222
Restani, P., 578
Resurreccion, A.V.A., 468, 1540
Reyes-Moreno, C., 1373
Rhee, K.C., 500
Rhee, K.S., 500
Rhim, J.W., 222, 446, 776
Richardson, T., 889
Rickansrud, D.A., 1479
Ridley, S.C., 90
Ringkob, T.P., 11
Rios, J.J., 68
Rizvi, S.S.H., 218, 244, 430
Robertson, J.A., 1259
Loefs, S.P.F.M., 704
Romo-Parada, L., 122
Roncales, P., 1365
Rooney, L.W., 330
Rosinski, M.J., 863, 1422
Rotstein, E., 194, 738
Rowen, J.C., 656
Roy, I., 947
Rubico, S.M., 1540
Ruengsakulrach, S., 311
Russell, R.L., 11

S

Saato, K., 1511
Saito, S., 265
Saito, Y., 379, 1501
Saitoh, T., 1607
Sajdok, J., 906
Sajjaanantakul, T., 1272
Sakurai, A., 1607
Sala, F.J., 451
Samejima, K., 1158
Sandberg, A.-S., 159
Sander, B.D., 874
Sanders, T.H., 475, 1066
Sano, T., 231, 258, 481, 796, 800
Santos, B.L., 468
Sao, M., 1511
Sapers, G.M., 362, 997, 1096
Sapis, J.C., 774
Saravacos, G.D., 1496
Sarojnalini, C., 754
Sastry, S.K., 229
Sathe, S.K., 319
Satterlee, L.D., 756
Savell, J.W., 1163, 1364
Schaefer, D.M., 485, 858
Schaffner, D.F., 902
Scheller, K.K., 485, 858
Schirra, M., 1642
Schmidt, G.R., 558, 1147
Schwenke, J.R., 1190
Scott, V.N., 1553
Sebecic, B., 610
Sebranek, J.G., 505, 527, 541, 850
Seetha, R., 974
Seib, P.A., 997
Seman, D.L., 1661
Sen, A.C., 1057
Senter, M.M., 366
Senter, S.D., 1094, 1259
Seo, A., 25
Servillo, L., 653
Setser, S., 625
Shackelford, S.D., 843
Shahidi, F., 1082, 1306
Shanmugasundaram, T., 351
Shao, K.P., 280
Sharma, A., 489
Sharma, S.K., 573
Shaw, P.E., 82
Shelef, L.A., 1550
Shen, G.Q., 229
Shewfelt, R.L., 405
Shibamoto, T., 1471
Shibukawa, S., 621
Shigemori, S., 1074
Shimizu, A., 1209
Shinoda, S., 487, 1601
Shireman, R.B., 497
Shoa, K.P., 1072
Shoemaker, C.F., 483
Shoji, K., 265
Shulman, W., 743
Sigvaldson, E., 419
Silbernagel, M.J., 1278
Silva, E.R., 1090
Simard, R.E, 30, 423, 885, 1234
Simpson, B.K., 63
Simpson, R., 1327
Singh, A.K., 1007
Singh, G., 958
Singh, R.S., 940
Singh, U., 974, 1293
Singh, Y., 1007
Skauge, I.H., 756
Skura, B.J., 686
Smith, D.E., 874
Smith, D.M., 35
Smith, G.C., 1364
Smith, S.B., 1125, 1163, 1364
Smith, S.H., 1434
Smithson, A., 1646
Smittle, D.A., 393
Smulders, F.J.M., 307
Snow, S.D., 730
Sofos, J.N., 558, 1147
Sonday, S.M., 997
Soto-Peralta, N.V., 495
Splittstoesser, D.F., 683
Sporns, P., 419
Srinivas, T., 125
Srisuma, N., 311
St. Angelo, A., 581
St. John, L.C., 1163
Stachiw, M.A., 52
Stainsby, G., 77
Stamp, J.A., 1043
Stanley, D.W., 326, 950, 1078, 1080, 1269, 1284
Stanton, D.W., 669
Stec, M.G.H., 396
Stehli, D., 931
Steinberg, M.P., 593, 691, 931, 1594
Stevenson, J.M., 1661
Stites, C.R., 3, 214
Strange, E.D., 855
Strange, E.M., 216
Sugiyama, K., 621
Suknak, K., 1359
Sullivan, J.F., 772
Sumner, S.S., 1553
Surak, J.G., 25
Suzuki, A., 177
Suzuki, H., 1070
Suzuki, K., 416
Suzuki, Y., 265
Svanberg, U., 159
Swaisgood, H.E., 1639
Swartz, D.R., 11
Swartzel, K.R., 222, 446, 776
Szczawinska, M., 1313
Szczawinski, J., 1313
Szulc, M., 1313

T

Taguchi, T., 1438, 1521
Tai, H.V., 408
Takeda, C., 177
Takeda, Y., 177
Takimoto, Y., 1169
Tamura, M.S., 483
Tanaka, M., 1438, 1521
Tanchotikul, U., 280, 1072, 1515
Tani, Y., 1632
Taninoki, N., 1607
Tanteeratarm, K., 593
Taoukis, P.S., 783, 789
Tayeb, J., 1047
Taylor, D.J., 1379
Ternes, W., 764
Thayer, D.W., 1461
Thomas, R.L., 408, 618, 1336
Thompson, L.U., 347
Tift, M.L., 902
Tinsley, A.M., 114
Todd, S.L., 1190
Toledo, R.T., 714, 902, 925, 1017, 1129
Toma, R., 727
Tomasula, P. 985
Tomita, J., 1511
Toro-Vazquez, J.F., 1177
Torres, J.A., 1327
Townsend, W.E., 277, 752
Trout, G.R., 536, 1466
Trska, P., 1544
Tsuchiya, T., 231, 258, 481, 796, 800
Tsukasaki, F., 1225
Tsuneishi, E., 1169
Tuncan, E.U., 936
Tung, M.A., 1417
Turner, B.E., 521

U

Uchiyama, S., 379, 1501
Uebersax, M.A., 311
Unda, J.R., 7
Ungan, S., 1003
Urbicain, M.J., 194
Usborne, W.R., 532
Ushio, H., 1107

V

Valencia, M.E., 1230, 1530
van As, H., 704
Van Buren, J.P., 1272
Van de Voort, F.R., 1322
Van Lasck, R.L.J.M., 307
Van Roon, P.S., 307
van Vliet, T., 704
Vanderslice, J.T., 1473
Vanstavern, B.D., 1434
Varga, D.M., 993
Vaughters, H.M., 277
Veciana-Nogues, M.T., 1653
Velcova, K., 1544
Velisek, J., 1544
Venkataraman, L.V., 351
Venning, J.A., 396
Ventling, B.L., 766
Venugopal, V., 1111
Vercellotti, J.R., 475, 1066
Vergnes, B., 1047
Versaw, W.K., 1557
Vidal-Carou, M.C., 1653
Vigo, M.S., 1658
Villota, R., 1604
Vinnett, C.H., 187
Vishwanath, W., 754
Vlieg, P., 569
Von Aderkas, P., 132
von Elbe, J.H., 1361

Vorasputhaporn, W., 1293

W

Wada, S., 1070
Wafa, F.Y., 401
Walker, H.W., 18, 302
Walton, C.G., 793
Wang, H.J., 618
Wang, J., 564
Wang, S.S., 1298
Wang, S.Y., 1186
Wang, Z-L., 1550
Waniska, R.D., 330
Wanous, M.P., 545, 549
Watabe, R., 265
Watabe, S., 1107
Watanabe, A., 1169
Watts, B.M., 1367
Weatherall, I.L., 1661
Weaver, C.M., 319
Weber, C.W., 114
Wehling, R.L., 880
Wei, C.I., 233, 253, 1057
Wei, L.S., 593, 931, 963, 1594
Weintraub, S.E., 1417
Weitzel, B., 553
Welsh, F.W., 1565
West, R.L., 497, 867
Wheeler, T.L., 1125
Wheeler, W.B., 1057
White, A.E., 1218
Whiting, R.C., 855
Wilder, T., 899
Wiley, E.L., 299
Wiley, R.C., 412
Wilhelmsen, E., 1246
Willemot, C., 122
Williams, J.C., 1444
Williams, L.E., 1557
Williams, R.E., 1565
Williams, S.N., 858
Williams, U.P., 240
Willis, B.W., 1473
Willix, J., 508
Winters, D.D., 1557
Wong, M., 669
Wrolstad, R.E., 1255
Wu, C-M., 632, 977

X

Xiong, Y.L., 287, 1141

Y

Yada, R.Y., 1269, 1287
Yamamoto, K., 1158
Yamanaka, H., 1107, 1133
Yamuchi, K., 1225
Yamauchi, K., 1225
Yanes, E., 102
Yang, S-S., 210
Yang, S.T., 743
Yano, T., 621
Yaseky, J.J., 297
Yasuhara, A., 1471
Yasui, T., 1158
Yeh, A-I., 1298
Yorgey, B.M., 660
York, G., 553
Yoshida, H., 1596
Yoshinaka, R., 1511
Young, L.L., 1151, 1155
Yousef, A.E., 650
Yu, t-H., 632, 977
Yukawa, N., 1607

Z

Zabik, M.E., 1061
Zall, R.R., 1573
Zamojcin, C.A., 7
Zayas, J.F., 700, 1452
Zechman, L.G., 205
Zee, J.A., 30
Zeece, M.G., 1651
Zeidler, G., 553
Zhao, B., 1298
Zhao, J., 253
Ziegler, G.R., 218, 430
Zottola, E.A., 458, 461
Zubillaga, M.P., 1475

Subject Index—Volume 54, 1989

A

acceptability
of akara from tepary beans, 114
replacement of NaCl by modified KCl in pork sausage: testing of, 553

acetone
extracted cottonseed meals without catty odors, 1088

acid(s)
amino: analysis in soy isolates and navy beans using precolumn derivatization with phenylisothiocyanate and RP-HPLC, 756; changes in scallop muscle during storage, 1133; effect of storage, carbohydrate composition, and heat processing on bioavailability of commercial enteral product, 1024; evolution during ripening of cheddar cheese containing added lactobacilli strains, 885; kinetics of formation of pyrazine in glucose systems, 1611; recovery from seafood processing wastewater, 60
appearance of kinetic compensation effect in catalyzed hydrolysis of disaccharides, 222
ascorbic: content of potatoes in relation to tuber anatomy, 220; control of enzymatic browning in apple juice with, 997; effect of surface freezing on retention in water blanched potato, 1090
benzoic: inactivation of *L. monocytogenes* as affected by, 650
butyric: spoilage of fermented cucumbers, 636
docosahexaenoic: distribution in different sites in blue mackerel, 569
eicosapentaenoic: distribution in different sites in blue mackerel, 569
effect of water activity of milk on production by *S. thermophilus* and *L. bulgaricus*, 917
fatty: composition of ground beef containing low levels of fat, 1163; content of squid, 45; effect on chlorophyll degradation, 1361; in shrimp, 237; influence in muscle from bison, Hereford and Brahman steers on flavor, 521; statistical patterns of lipase activities on release of short-chain in cheddar cheese slurries, 1559
glutamic: determination in cheese using flow-injection system with immobilized enzyme column, 423
inactivation of soybean lipoxygenase with retention of protein solubility, 963
3-indolelactic: reactions of chlorine and chlorine dioxide with, 1057
5-methyl-5,6,7,8-tetrahydrofolic: effect of oxygen on thermal degradation of, 146
oleic: properties of ovalbumin and lysozyme treated with, 1639
organic: as tenderizers of collagen in restructured beef, 1173; determination in dairy products by HPLC, 1076; microbiological, chemical, and physical changes in pork treated with, 18
phenolic: storage induced changes in dry beans, 311
phytic: effect of fermentation by cultures of yeasts and lactobacilli on content of pearl millet, 780; effect on bioavailability of polysaccharides and other nutrients, 1332
thiobarbituric: comparison of ferric glycinate to ferrous sulfate in infant formulas: kinetics of, 1230
water activity concentration models for solutions of, 1318

acid phosphatase
stability in cured/canned picnic samples stored frozen, 752

acidification
influence on texture of canned carrots, 1092
rheological changes during gelation of milk by GDL, 894
use for storage of orange juice, 674

actin
dynamic viscoelastic behavior on heating, 231
interactions in gel formation of invertebrate muscle, 796
in thermal gelation of fish actomyosin, 800
scanning calorimetric behavior of due to processing of muscle and protein purification, 49

actinin
degradation in bovine muscle, 1426

activity
effect of phytate on trypsin and chymotrypsin, 695

actomyosin
F-actin in thermal gelation of, 800
thermal activation of Mg-ATPases from ordinary and dark muscles of tuna and sardine, 1521

additives
effect on toughening of pollack fillets, 1101
physicochemical parameters of and emulsifying properties, 1177

adhesion
film sealant and vacuum effects on at sealant-meat interface in cook-in packaging system for processed meat, 863
phosphate and salt effects on shear strength of and packaging film to processed meat from cook-in packaging system, 1422

aerosol
determination of migrants from rubber gaskets of commercial valves used in food packaging, 465

aflatoxin
influence of spice essential oils on *A. parasiticus* growth and production of in synthetic medium, 74

agar
low temperature drying in desiccated cold air flow, 416
model for characterization of stress relaxation of gels, 1013

aggregation
of soybean sulfur-rich protein, 319
role in determining rheological properties of heat induced networks for ovalbumin and vicilin, 1624

aging
effects on texture of canned beans, 315

aglycones
mutagenic flavonols in infusions and in fresh and pickled vegetables, 1492

air
heating rates in flexible packages containing entrapped during overpressure processing, 1417

akara
nutritional quality and sensory acceptability of from tepary beans, 114

albumin
bovine serum: emulsifying activity of assessed by different methods, 1341

alcohol
binding by soy protein, 1604

aldehyde
analysis in headspace of heated pork fat, 1471

algin
shelf-life of calcium restructured turkey products, 1147

alginate
model for characterization of stress relaxation of gels, 1013
quality characteristics of turkey with variable calcium lactate ratios, 558

alkaline phosphate
effect on time of chopping, emulsion stability and protein solubility of fine-cut meat systems, 541

allergenicity
effect of proteolysis on whey protein, 1037

allicin
stability in garlic juice, 977

allylisothiocyanate
method for determining in horseradish containing products, 778

almond
bioavailability of calcium from powder in rats, 146
influence of irrigation on keeping quality of kernels, 1642

Alternaria
quality changes in tomatoes and resistance to as influenced by varying storage temperature, 376

amaranth
germination of seeds: effects on nutrient composition and color, 761

amine
factors affecting production by *L. bulgaricus*, 940

aminopeptidase T
debittering mechanism in bitter peptides of hydrolysates from milk casein by, 1225

ammonia
effect on concentration of glucosinolates of canola, 1306

amylase, alpha
production and size distribution of rice maltodextrins hydrolyzed from rice flour by, 190

amylography
factors affecting wheat flour maximum viscosity, 610
properties of sago starches with low and high viscosities on, 177

amylose
properties and structure of glyceryl monostearate complexes formed in solution or on extrusion of wheat flour, 950

analysis/analyses
anthocyanins in fruits of cranberry, 383
biochemical characterization of collagen in myocommata and endomysium fractions of carp and mackerel muscle, 1511
bioconversion of limonene by *P. gladioli*, 1241
bitter taste of olive oil: correlation of sensory evaluation with HPLC, 68
by gel electrophoresis of protein changes in ground beef stored at 2°C, 287
calorimetric examination of pineapple metabolism, 1246
canonical variate and principal components of wine descriptive data, 1355
cell wall characteristics of gamma-radiated cucumber pickles, 1266
changes in corn and sorghum during nixtamalization and tortilla baking, 330
changes in oxalate content in fermentation of fish paste hentak, 754
characteristics of peach nectar stored in various packaging materials, 401
characterization and utilization of dehydrated wash waters from clam processing plants as flavoring agents, 55
characterization of water soluble egg yolk proteins with IEF, 764
chemical and antinutritional components during tempeh preparation using beans, 968
chemical and nutritional characterization of lupine tempeh, 102
chemical, textural and sensory characteristics of lamb as influenced by grinding, salt level and vacuum massage time, 1198
chromatography of xanthophylls in eggs from hens fed bermuda-grass meal, 584
classification of whiskies by component, 1351
comparison of methods used to characterize water imbibition in hard-to-cook beans, 326
comparison of transparent gels with turbid gels prepared from egg white, 1209
composition, fatty acid and cholesterol content of squid, 45
composition of cooked pork chops: effect of removing subcutaneous fat before cooking, 15
deamidation and properties of food proteins by treatment with immobilized chymotrypsin at alkaline pH, 1345
determination of carotenoids in fruits of *Rosa* sp. and chokeberry, 774
development of chocolate flavored peanut beverage, 1359
directly-acidified carrot slices for ingredients in refrigerated vegetable salads, 90
direct use of apple pomace in bakery products, 618
distribution of lipid classes and EPA and DHA in different sites in blue mackerel, 569
effect of atmospheres on storage of cauliflower, 122
effects of blade tenderization, vacuum massage time and salt level on chemical, textural and sensory characteristics of chuck, 843
effect of chemical additives on toughening of fillets of pollack, 1101
effect of dietary fiber on texture and cooking characteristics of pork, 1190
effects of drying method, packaging, and storage temperature and time on quality of dill, 1485
effects of germination, dehulling and cooking on nutritive value of cowpea flour, 1371
effect of germination on oligosaccharides and nonstarch polysaccharides in navy and pinto beans, 1615
effect of packaging materials on chemical composition of potatoes, 629
effect of phytate on solubility, activity and conformation of trypsin and chymotrypsin, 695
effects of K sorbate, Na acetate, phosphates and NaCl on shelf life of pork, 302
effects of pre-chilling, freezing rate, and storage time on beef quality, 532
effect of pre-chill removal of kidney fat on bull carcass quality and muscle tenderness, 1434
effect of pretreatment of corn germ protein on quality characteristics of frankfurters, 1452
effect of processing on antinutrients in cowpeas, 1084
effect of processing on composition and mineral content of sea cucumbers, 567
effect of processing on lipid stability in smoked whitefish, 52
effect of processing temperature and storage time on nonfat dry milk proteins, 1218
effects of Na tripolyphosphate on physical, chemical and textural properties of frankfurters, 505
effect of soybean maturity on storage stability and process quality, 593
effect of storage temperature, humidity and duration on ostrich fern quality, 132
effect of tempeh on properties of hams, 1186
effect of tomato paste on rheological properties and particle size distribution of model oil-in-water emulsions, 437
effect of whey pretreatment on composition and functional properties of whey protein concentrate, 25
estimation of iron availability from meals and beef: effect of processing and fortification, 1441
ether-extractable fat in beef carcasses with same marbling score but different yield grades 1364
extension of shelf life of catfish using modified atmospheric packaging and irradiation, 269
factors affecting wheat flour amylographic maximum viscosity, 610
factors influencing stability of frozen kiwifruit pulp, 396
fatty acid composition and caloric value of ground beef containing low levels of fat, 1163
fermentabilities of fiber supplements, 347
flavor, aroma, and compositional changes in strawberry juice concentrate, 1255
formulation and sensory evaluation of low calorie fiber bar, 727
functional characteristics of wiener-type products substituted with native and acid-hydrolyzed oat protein isolates, 1450
germination of amaranth seeds: effects on nutrient composition and color, 761
identification of volatile compounds from glassine packages, 770
imidazoles formed in nonenzymatic browning reactions, 1544
influence of phospholipid content and fatty acid composition of phospholipids in muscle from bison, Hereford, and Brahman steers on flavor, 521
integral method of steam infusion heating of free falling film, 734
in vivo effects of phytic acid and polyphenols on bioavailability of polysaccharides and other nutrients, 1332
method for determining allylisothiocyanate in horseradish containing products, 778
microbial, compositional, and other quality characteristics of pecans stored frozen for 25 years, 472
microbiological, chemical, and physical changes in pork treated with organic acids and salts, 18
modeling flow in cylindrical extruder dies, 1584
myoglobin denaturation and color of beef, pork, and turkey influenced by pH, NaCl, Na tripolyphosphate, and cooking temperatures, 536
NIR of soluble solids in cantaloupe, 393
nutrient losses due to scarification of pigeonpea cotyledons, 974
odor components of human breath after ingestion of raw garlic, 763
of aldehydes and ketones in headspace of heated pork fat, 1471
of amino acids in soy isolates and navy beans using precolumn derivatization with phenylisothiocyanate and RP-HPLC, 756
of ATP and breakdown products in beef by HPLC, 1169
of marinated southern peas, 640
of ovalbumin and lysozyme treated with oleic acid, 1639
of pectin methylesterase from apple fruit, 653
of powdered cocoa products by NIR spectroscopy, 768
of pressure drop in extruder dies, 709
of TDT and arrhenius method for handling process and kinetic data, 1322

ogi from malted corn: chemical, pasting, and sensory properties, 971
optimization of carrot dehydration process using RSM, 714
oxidative stability and textural quality of beef as affected by cooking temperature, storage and incorporation of surimi, 280
palatability and storage characteristics of beef roasts, 3
peroxidase of kiwifruit, 760
phenoloxidase from lobster: mode of activation and characterization, 63
physicochemical characteristics of pigeonpea and mung bean starches and noodle quality, 1293
physicochemical parameters of protein additives and emulsifying properties, 1177
preparation and properties of acid-modified sunflower protein isolate, 357
processing, sensory and chemical properties of wieners prepared from carbon dioxide, brine and chilled beef, 277
processing yields and composition of white sturgeon, 216
properties and structure of amylose-glyceryl monostearate complexes formed in solution or on extrusion of wheat flour, 950
properties of defatted and detoxified madhuca seed flour, 351
properties of enzymatically deamidated soy protein, 598
properties of flax seed mucilage, 1302
properties of linseed protein products containing different levels of mucilage in food systems, 183
properties of low fat frankfurters containing monounsaturated and omega-3 polyunsaturated oils, 500
properties of mixed and filled-type dairy gels, 1213
properties of pre-rigor pork: hot vs cold processing of cooked shoulder and hams, 307
properties of salted egg yolk in mayonnaise, 210
properties of soybean-corn mixtures processed by low-cost extrusion, 1590
properties of sweetener sucralose, 1646
properties of whey-pea protein blends in model systems, 1287
protein enrichment of sugar-snap cookies with sunflower protein isolate, 354
purification and characterization of asparagus lipoxygenase, 371
purification and characterization of peroxidase isoenzymes from green peas, 644
rheological properties of pasteurized egg during frozen storage, 35
sanitization of steaks with chlorine dioxide generating binary systems, 7
sensory and chemical examination of aromatic and nonaromatic rices, 343
sensory characteristics, texture, color, and nutrient content of veal, 1444
sodium retention in pre- and postrigor ground pork, 297
storage induced changes of phenolic acids and development of hard-to-cook in dry beans, 311
structure-digestibility relationship of legume 7S proteins, 108
structures and properties of sago starches with low and high viscosities on amylography, 177
tainting and depuration of taint by lobsters exposed to water contaminated with fuel oil: relationship with aromatic hydrocarbon content in tissue, 240
textural attributes of mechanically and cryogenically frozen whole crayfish, 564
texture changes of frozen stored cod and perch minces, 824
texture changes on heating spray-dried egg white, 1206
thermophysical properties of apple juice as function of concentration and temperature, 663
tomato peroxidase: isolation and characterization, 1269
total sterols in seafoods: iatroscan TLC/FID vs Kovacs GLC/FID method, 793
use of Na bicarbonate and increased liquid levels in baked products containing sour mash DDGS, 1507
water activity and chemical composition of mayonnaises, 1658
yields, color and composition of washed, kneaded and heated mechanically deboned poultry meat, 561

animal assay
bioavailability of calcium from sesame seeds, almond powder, whole wheat bread, spinach and nonfat dry milk in rats, 146
dietary effects of frankfurters with added beef fat and peanut oil, 497
effect of calcium level on bread iron utilization by iron-deficient rats, 943
effect of storage, carbohydrate composition, and heat processing on protein quality and amino acid bioavailability of commercial enteral product, 1024
improvement of pigment and lipid stability in Holstein beef by dietary supplementation with vitamin E, 858
in vivo effects of phytic acid and polyphenols on bioavailability of polysaccharides and other nutrients, 1332
pathogenicity of foodborne, environmental and clinical isolates of *L. monocytogenes* in mice, 1553

anthocyanins
in fruits of cranberry, 383
stability in apples stored unpackaged, under heat shrinkable wrap and in package modified atmosphere, 405

antibiotics
interaction with water activity on *S. thermophilus* and *L. bulgaricus*, 922

antinutrients
effect of processing on cowpeas, 1084

antioxidants
effects of phosphate with nitrite or maillard reaction products on warmed-over flavor in beef roasts, 1431
effect on membranal lipid stability and pork product quality, 1193
protection of menhaden mince lipids from rancidity during frozen storage, 1120

APIZYM
testing system to assess state of ripeness of banana, 1379

apple
control of enzymatic browning in juice with ascorbic acid derivatives, PPO inhibitors, and complexing agents, 997
direct use of pomace in bakery products, 618
effect of chitosan on clarity and color of juice, 495
effect of delayed cooling on poststorage firmness of, 493
effect of emulsifying agents on inhibition of enzymatic browning in juice, 1096
effect of fruit storage and processing on clarity, proteins and stability of juice, 660
isolation and characterization of pectin methylesterase from, 653
modeling of juice filtrations, 1003
molecular cut-off of UF membranes and quality and stability of juice, 1250
pectinase recovery from UF juice, 412
poststorage behavior of after low oxygen storage as influenced by temperatures during storage and in transit, 993
production of microbiologically stable juice by metallic membrane UF, 408
stability of anthocyanins in stored unpackaged, under heat shrinkable wrap and in package modified atmosphere, 405
thermophysical properties of juice as function of concentration and temperature, 663

apricot
canning induced softening and cell wall pectin solubilization in, 990
softening of canned: chelation hypothesis, 86

aroma
in strawberry juice concentrate, 1255

Arrhenius
analysis of method for handling process and kinetic data, 1322

ascorbyl decanoate
effect of emulsifying agents on inhibition of browning in apple juice by, 1096

ascorbyl laurate
effect of emulsifying agents on inhibition of browning in apple juice by, 1096

ascorbyl palmitate
effect of emulsifying agents on inhibition of browning in apple juice by, 1096

asparagus
purification and characterization of lipoxygenase, 371

aspartame
HPLC method for determination of, 1043

Aspergillus parasiticus
influence of spice essential oils on growth and production of aflatoxins in synthetic medium, 74

astringent
HPLC separation of from cheddar cheese made with added *Lactobacillus* to accelerate ripening, 1234

ATP
analysis in beef by HPLC, 1169
method for following postmortem depletion in lamb muscle, 1365
effect on heat contracture of glycerinated fibers of rabbit muscle, 1074

ATPase
temperature-dependency of rigor-mortis of fish muscle; myofibrillar activity, 1107
thermal activation from ordinary and dark muscles of tuna and sardine, 1521

atmosphere
design of modified packaging systems: modeling oxygen concentrations within sealed packages of tomato, 1413
effect of controlled on storage of cauliflower, 122
effect on shelflife and sensory attributes of ground beef, 284
lipid oxidation and sensory analysis of pork and turkey stored under modified, 846

availability
estimation of iron from meals and beef: effect of processing and fortification, 1441

B

bacon
processing and sensory properties of pork, 214

baked goods
direct use of apple pomace in, 618
mathematical characterization of stress-strain relationships of spongy, 947
sensory evaluation of different levels of DDGS from wheat, 337
use of Na bicarbonate and increased liquid levels in sour mash DDGS, 1507

baking
changes in corn and sorghum in tortilla, 330
effects of heat transfer by radiation and convection on browning of cookies, 621

banana
APIZYM testing system to assess ripeness in, 1379

barrier
edible film of lipids and cellulose ethers: moisture vapor transmission and structural evaluation, 1383
evaluation of edible bilayer films for use in food, 1400
properties and surface characteristics of edible, bilayer films, 1393

beans
African yam (*S. sternocarpa*): effect of pretreatment on cooking time of, 758
common: chemical and antinutritional components during preparation of tempeh using fresh and hardened, 968
comparison of methods used to characterize water imbibition in hard-to-cook, 326
effect of germination on oligosaccharides and nonstarch polysaccharides in navy and pinto, 1615
effect of storage on water content and water activity of, 1373
faba: binding of vanillin by proteins, 105
fluorescence intensity indicates hardening, 1078
Great Northern (*P. vulgaris*, L.): effects of Ca, sucrose and aging on texture of canned, 315
hard-to-cook: changes in protein electrophoretic patterns during storage, 1367
mung: characteristics of starches and noodle quality, 1293
navy: analysis of amino acids in using precolumn derivatization with phenylisothiocyanate and RP-HPLC, 756
Phaseolus vulgaris, var. Seafarer: storage induced changes of phenolic acids and development of hard-to-cook in dry, 311
protein denaturation and starch gelatinization in, 1284
sensory evaluation methods for assessing flavor of, 1278
tepary: nutritional quality and sensory acceptability of akara prepared from, 114
WHC in: effect of pH and ionic strength, 1080
winged: effect of extraction conditions on extractability of protein, 1656

beef
analysis of ATP and breakdown products in by HPLC, 1169
bilateral temperature asymmetry in loin of carcasses, 11
degradation of titin and nebulin in steaks varying in tenderness, 748
desmin and actinin degradation in muscle, 1426
dietary effects of frankfurters with added fat and peanut oil, 497
effects of blade tenderization, vacuum massage time and salt level on chemical, textural and sensory characteristics of, 843
effects of freezing rate and storage on tenderness of, 291
effects of gas atmosphere and storage on shelflife and sensory attributes of vacuum packaged ground, 284
effects of gas atmosphere packaging on psychrotrophic growth on steak, 274
effect of pH and pigment concentration on color of ground patties, 1
effect of phosphate with nitrite or Maillard products on warmed over flavor in, 1431
effect of pre-chilling, freezing rate, and storage time on patty quality, 532
effect of pre-chill removal of kidney fat on bull carcass quality and muscle tenderness, 1434
effects of temperature, particle size, and grinding systems on removal of bone chips from ground meat, 527
emulsifying properties of bovine milk fat globule membrane in milk fat emulsion: conditions for reconstitution of milk fat globules, 1534
emulsion stability and sensory quality of frankfurters with different fat or peanut oil levels, 867
estimation of iron availability from: effect of processing and fortification, 1441
ether-extractable fat in carcasses with same marbling score but different yield grades, 1364
fatty acid composition and caloric value of ground containing low levels of fat, 1163
gel electrophoresis of protein changes in stored at 2°C, 287
improved tenderness of steaks by collagenase from *Vibrio*, 855
improvement of pigment and lipid stability in Holstein by dietary supplementation with vitamin E, 858
influence of pH, NaCl, Na tripolyphosphate and cooking temperature on myoglobin denaturation and color in, 536
influence of phospholipid content and fatty acid composition of phospholipids in muscle from bison, Hereford and Brahman steers on flavor, 521
organic acids as tenderizers of collagen in restructured, 1173
oxidative stability and textural quality of restructured roasts as affected by cooking temperature, storage and incorporation of surimi, 280
oxidative stability as affected by cooking temperature, 1072
palatability and storage characteristics of precooked roasts, 3
processing, sensory and chemical properties of wieners prepared from carbon dioxide, brine and chilled, 277
sanitization of steaks with chlorine dioxide generating binary systems, 7
vitamin E supplementation of Holstein steers improves steak color, 485

Bermuda grass (*Cynodon dactylon*)
chromatography of xanthophylls in eggs from hens fed, 584

beverage
canonical variate and principal component analyses of wine descriptive analysis data, 1355
characteristics of peach nectar stored in various packaging materials, 401
classification of whiskies by component analysis, 1351
control of enzymatic browning in apple juice with ascorbic acid derivatives, PPO inhibitors, and complexing agents, 997
development of chocolate flavored peanut, 1359
effects of chitosan treatments on clarity and color of apple juice, 495
effect of emulsifying agents on inhibition of enzymatic browning in apple juice, 1096
effects of fruit storage and processing on clarity, proteins, and stability of Granny Smith apple juice, 660
effect of storage temperature on stability of orange juice and drink, 227
flavor, aroma, and compositional changes in strawberry juice concentrate, 1255
flavor evaluation and volatile flavor constituents of stored orange juice, 82
kinetics of color change of grape juice generated using linearly increasing temperature, 776
limonoid glucosides in commercial citrus juices, 1505
modeling of apple juice filtrations, 1003
molecular weight cut-off of UF membranes and quality and stability of apple juice, 1250
nonenzymic browning in kiwifruit juice concentrate during storage, 669
nutritional, microbiological, and sensory qualities of peanut, 1540
pectinase recovery from UF apple juice, 412
production of microbiologically stable apple juice by metallic membrane UF, 408
stability of cream liqueurs containing low molecular weight surfactants, 77
thermophysical properties of apple juice as function of concentration and temperature, 663
use of acidification, low temperature, and sorbates for storage of orange juice, 674

binary system
sanitization of steaks with chlorine dioxide generating, 7

bind
strength of pork: effect of Ca carbonate and Na alginate, 1466

binders
fate of *C. sporogenes* in fish sausage with adjuster water activity using, 1129

binding
of Ca of microalgal polysaccharides and industrial hydrocolloids, 1336
of alcohols by soy protein, 1604
of vanillin by fababean proteins, 105
sensory evaluation of vanillin by fababean proteins, 324

bioavailability
effect of heat processing of egg on iron, 154
effects of inositol tri-, tetra-, penta-, and hexaphosphates on estimation of iron, 159
effect of phytic acid and polyphenols on polysaccharides and other nutrients, 1332
effect of storage, carbohydrate composition, and heat processing on amino acids of commercial enteral product, 1024
of Ca from sesame seeds, almond powder, whole wheat bread, spinach and nonfat dry milk in rats, 146

biochemistry
characterization of collagen in fractions of carp and mackerel muscle, 1511

bison
influence of phospholipid content and fatty acid composition of phospholipids on flavor, 521

bisulfite
effect on lobster shell phenoloxidase, 478

bitterness
of olive oil: correlation of sensory evaluation and HPLC analysis, 68

bitters
HPLC separation of from cheddar cheese made with added *Lactobacillus* to accelerate ripening, 1234

blanching
effect of surface freezing on ascorbic acid retention in potato, 1090

bleaching
effect of filtering through media on decrease of peroxide value of autoxidized soybean oil, 1601

blueberry
pectin transitions during development and ripening, 385

bone
effect of meat temperature, particle size, and grinding systems on removal of chips from ground meat, 527

bran
solubility, emulsifying and foaming properties of rice protein concentrates, 142

bread
bioavailability of calcium from wheat in rats, 146
effect of calcium level on iron utilization from by iron-deficient rats, 943

breath
odor components of human after ingestion of raw garlic, 763

brine
effect of hot-processed pork, 299
processing, sensory and chemical properties of wieners prepared from, 277

browning
control in apple juice with ascorbic acid derivatives, PPO inhibitors, and complexing agents, 997
effect of emulsifying agents on inhibition in apple juice, 1096
effects of heat transfer by radiation and convection on cookies at baking, 621
effect of phosphate with nitrite or maillard reaction products on warmed-over flavor in beef roasts, 1431
imidazoles formed in nonenzymatic reaction, 1544
in kiwifruit juice concentrate during storage, 669
in potatoes and related cultivars, 362
reduction of glucose content in potatoes with glucose oxidase, 118

BSA
emulsifying activity as assessed by different methods, 1341

buffer
interactions between lactalbumin, lactoglobulin and casein in, 889

C

calcium
binding of microalgal polysaccharides and industrial hydrocolloids, 1336
bioavailability from sesame seeds, almond powder, whole wheat bread, spinach and nonfat dry milk in rats, 146
carbonate: effect on color and bind strength of pork, 1466
effect of level on bread iron utilization by iron-deficient rats, 943
effect of pH on solubility following digestion of soy protein isolate, 587
effect on quality of chicken breast muscle, 1155
effects on texture of canned beans, 315
quality characteristics of turkey with variable alginate/lactate ratios, 558
shelf-life of algin restructured turkey product under aerobic and anaerobic conditions, 1147
temperature dependency of rigor-mortis of fish muscle: uptake by sarcoplasmic reticulum, 1107

calories
of ground beef containing low levels of fat, 1163

calorimetry
of pineapple metabolism, 1246
scanning: of tilapia myosin and actin due to processing of muscle and protein purification, 49

canning
induced softening and cell wall pectin solubilization in apricot, 990
influence of acidification on texture of carrots, 1092
softening of apricots: chelation hypothesis, 86

canola
effect of methanol-ammonia-water treatment on concentration of glucosinolates in, 1306

cantaloupe
delayed light emission as indicator of maturity, 1094
NIR of soluble solids in, 393

carbohydrate
effect on protein quality and amino acid bioavailability of commercial enteral product, 1024

carbon dioxide
chemical characterization of sardine meat powder produced by defatting with, 265
effect of chilling systems on hot-processed pork, 299
effects of conditions on supercritical extraction of mushroom oleoresins, 135
effect on storage of cauliflower, 122
processing, sensory and chemical properties of wieners prepared from, 277

carotenoids
determination in fruits of *Rosa* sp. and chokeberry, 774

carp
biochemical characterization of collagen in fractions of muscle, 1511

carrot
directly-acidified slices for ingredients in refrigerated vegetable salads, 90
effect of methyl ester content on heat degradation of chelator-soluble pectin, 1272
influence of acidification on texture of canned, 1092
optimization of dehydration process using RSM, 714

casein
debittering mechanism in bitter peptides of hydrolysates from milk by aminopeptidase T, 1225
emulsifying activity of assessed by different methods, 1341
interactions with lactalbumin and lactoglobulin in milk and buffer, 889
pulse NMR of dispersions, 704

catfish
extension of shelf life using modified atmospheric packaging and irradiation, 269

cathepsin D
thermal stability of, 1651

cations
softening effects of monovalent in acidified cucumber tissue, 366

cauliflower
effect of controlled atmospheres on storage of, 122

CCDE
predicting soluble solids extraction from fruits in, 1261

cellulose
edible film of ethers: barrier properties to moisture vapor transmission and structural evaluation, 1383
edible film of ethers: performance in model frozen food systems,1390
effect on texture and cooking characteristics of pork, 1190

cerium
determination of lactose and lactose hydrolysis in milk using, 419

cheese
cheddar: effect of modified manufacturing parameters on quality of made from UF milk, 573; evolution of free amino acids during ripening of containing added *lactobacilli* strains, 885; HPLC separation of bitter and astringent fractions from made with added *Lactobacillus* to accelerate ripening, 1234; statistical patterns of lipase activities on release of short-chain fatty acids in slurries, 1559
clarification of whey by aqueous two-phase systems, 1369
determination of L-glutamic acid in using flow-injection system with immobilized enzyme column, 423
determination of organic acids in by HPLC, 1076
development of syrups from whey UF permeate and utilization in ice cream, 880
fermentation of baker's yeast cultivated on whey permeate, 1238
grana padano: amount of formaldehyde added to milk in production of, 578
quality characteristics and consumer acceptance of peanut-based imitation spread, 468

chelation
softening of canned apricots, 86

chelator
effect of methyl ester content on heat degradation of soluble carrot pectin, 1272

chemistry
changes in pork treated with organic acids and salts, 18
characteristics of peach nectar stored in various packaging materials, 401
characterization of lupine tempeh, 102
characterization of sardine meat powder produced by dehydration and defatting, 265
components during tempeh preparation using beans, 968
effect of blade tenderization, vacuum massage time and salt level on chuck, 843
effect of packaging materials on composition of potatoes, 629
effects of Na tripolyphosphate on frankfurters, 505
molecular forces involved in gelation of plasma proteins at alkaline pH, 1202
of aromatic and nonaromatic rices, 343
of lamb as influenced by grinding, salt, and vacuum massage time, 1198
of mayonnaises, 1658
of wieners prepared from carbon dioxide, brine and chilled beef, 277
partitioning and flavor threshold interactions of aliphatic and aromatic food packaging solvents in high-fat cookies, 173
properties of ogi from malted corn, 971

chicken
changes in protein solubility and gelation properties of myofibrils during storage, 1141
chromatographic analysis of xanthophylls in eggs from hens fed Bermuda grass meal, 584

effects of dietary oils and tocopherol supplementation on lipids and stability of meat, 1457
effect of muscle pH and calcium content on quality of breast muscle, 1155
factors relating to oxidative stability of patties treated with Na tripolyphosphate, 1151
influence of muscle myosin filaments on morphology and strength of heat-induced gels, 1158

chilling
effect of systems on hot-processed pork, 299
effect on beef patty quality, 532
injury in cucumbers associated with lipid peroxidation as measured by ethane evolution, 1488

chitosan
effects on clarity and color of apple juice, 495
recovery of amino acids from seafood processing wastewater with base ligand exchange system, 60

chlorine
dioxide: reactions with tryptophan, N-methyltryptophan and 3-indolelactic acid, 1057; sanitization of steaks with, 7 reactions with tryptophan, N-methyltryptophan and 3-indolelactic acid, 1057

chlorophyll
effect of ethylene, free fatty acid, and enzymes on degradation of, 1361

chocolate
development of flavored peanut beverage, 1359

chokeberry (*Aronia melanocarpa*)
determination of carotenoids in, 774

cholesterol
content of squid, 45
effect of ionizing radiation in aqueous dispersion, 1569
effect of storage on levels of oxidation products in dairy products, 874
GC method for quantification of oxidation products in egg yolk powder, 427
in shrimp, 237

chopping
effects of collagen and alkaline phosphate on time in fine-cut meat system, 541

chromatography
gas: classification of whiskies by component analysis, 1351; effects of pH and heat treatment on formation of volatile compounds of garlic, 632; stability of allicin in garlic juice, 977; total sterols in seafood, 793; wide-bore capillary method for quantification of cholesterol oxidation products in egg yolk powder, 427
gel filtration: fractionation of rice glutelin polypeptides using, 730
high performance liquid: analysis of amino acids in soy isolate and navy beans using reverse-phase, 756; analysis of ATP and breakdown products in beef by, 1169; bitter taste of olive oil: correlation of sensory evaluation with, 68; determination of carotenoids in fruits of *Rosa* sp. and chokeberry, 774; determination of organic acids in dairy products by, 1076; method for determination of aspartame and decomposition products, 1043; of bitter and astringent fractions from cheddar cheese made with added Lactobacillus to accelerate ripening, 1234; separation of cod proteins by after frozen storage, 827; stability of allicin in garlic juice, 977
inverse gas: starch/sucrose interactions by organic probe analysis, 162
isolation and characterization of pectin methylesterase from apple fruit, 653
of peroxidase isoenzymes from green peas, 644
of xanthophylls in eggs from hens fed Bermuda grass meal, 584
thermal denaturation of egg white, 906
thin layer: total sterols in seafood, 793

chymosin
processing parameters of extraction by ultrasound, 700

chymotrypsin
deamidation and properties of food proteins by treatment with immobilized, 1345
effect of phytate on solubility, activity and conformation of, 695

citrus
limonoid glucosides in commercial juices, 1505

clam
characterization and utilization of wash water from processing plants as flavoring agents, 55

clarification
of cheese whey by aqueous two-phase systems, 1369

clarity
effect of chitosan on apple juice, 495
effect of fruit storage and processing on apple juice, 660

Clostridium botulinum
effect of irradiation on antibotulinal efficacy of nitrite, 1313

***Clostridium sporogenes* PA 3679**
fate in fish sausage with adjusted water activity using food binders, 1129

clupeine
effect on foaming properties of whey protein isolate and lactoglobulin, 743

cocoa
compositional analysis of products by NIR spectroscopy, 768
determination of fluoride in powder by ion-selective electrode, 1650

cod (*Gadus morhua*)
denaturation of myosin during freezing after modification with formaldehyde, 814
separation of proteins by electrophoresis and HPLC after frozen storage, 827
texture changes of frozen stored, 824

cohesiveness
resistance to tear: instrumental measure of properties of muscle food products, 750

collagen
biochemical characterization in fractions of carp and mackerel muscle, 1511
effects of Na tripolyphosphate on physical, chemical and textural properties of frankfurters high in, 505
effect on time of chopping, emulsion stability and protein solubility of fine-cut meat systems, 541
organic acids as tenderizers in restructured beef, 1173

collagenase
improved tenderness of steaks by, 855

color
delayed light emission as indicator of cantaloupe maturity, 1094
effect of chitosan on apple juice, 495
effects of drying method, packaging, and storage temperature and time on quality of dill, 1485
effects of heat transfer by radiation and convection on browning of cookies at baking, 621
effect of maturity on peanuts, 475
effect of pH and pigment concentration on ground beef, 1
evaluation of venison by method using CIELAB values, 1661
germination of amaranth seeds: effect on, 761
influence of pH, NaCl, Na tripolyphosphate and cooking temperature on beef, pork, and turkey, 536
kinetics of change of grape juice generated using linearly increasing temperature, 776
of pork: effect of Ca carbonate and Na alginate, 1466
of veal, 1444
of washed, kneaded and heated mechanically deboned poultry meat, 561
vitamin E supplementation of Holstein steers improves steak, 485

colorimetry
assay for bacterial lipase in nonfat dry milk, 1557

computers
determination of D-values describing inactivation kinetics of bacterial spores: simulation using, 720
determination of retortable pouch heat transfer coefficients by optimization method, 1407
texture changes on heating spray-dried egg white, 1206
thermal conductivity of cellular tissues during drying; prediction by, 194

conduction
sterilization of heated foods in oval shaped containers, 1327

conductivity
prediction of fruit juices by thermal resistance model, 1007

conformation
effect of phytate on trypsin and chymotrypsin, 695

consumer acceptance
of peanut-based cheese spread, 468

containers
location of slowest heating zone for convection heating fluids in metal, 205
sterilization of conduction-heated foods in oval-shaped, 1327

contaminant
spoilage potential of bacteria from mackerel, 1111

contracture
effect of pH and ATP on rabbit muscle,1074

convection
effects of heat transfer on browning of cookies, 621
location of slowest heating zone for fluids in metal containers, 205

cookies
effects of heat transfer by radiation and convection on browning of, 621
partitioning and flavor threshold interactions of food packaging solvents in high-fat, 173
protein enrichment of sugar-snap with sunflower protein isolate, 354
sensory studies of sweetener systems for shortbread with and without polydextrose, 625

cooking
composition of pork chops: effect of removing subcutaneous fat before, 15
effect of fiber on characteristics of pork, 1190
effect of pretreatment on African yam bean, 758
effect of post-irradiation on thiamin content of pork, 1461
effect on nutritive value of cowpea flour, 1371
factors relating to oxidative stability of broiler patties treated with Na tripolyphosphate, 1151
histological basis for hard-to-cook phenomenon in red gram cultivars, 125
influence on myoglobin denaturation and color of beef, pork, and turkey, 536
oxidative stability and texture of beef as affected by temperature of, 280
oxidative stability of beef as affected by temperature, 1072

cooling
effect of delayed on poststorage firmness of apples, 493

corn
changes in during nixtamilization and tortilla baking, 330
effect of pretreatment of germ protein on quality of frankfurters, 1452
kinetics of phase transition of starch at extrusion temperatures and moisture contents, 1298
ogi from malted: chemistry, pasting and sensory properties, 971
properties of soybean mixtures processed by low-cost extrusion, 1590

cottonseed
acetone extracted meal without catty odors, 1088

cowpea (*Vigna unguiculata*)
effect of germination, dehulling and cooking on nutritive value of flour, 1371
effect of processing on antinutrients in, 1084

cranberry (*Vaccinium oxycoccus* L.)
anthocyanins in, 383

crayfish (*Procambarus clarkii*)
recovery of amino acid from processing wastewater with dual chitosan-based ligand-exchange system, 60
texture of mechanically and cryogenically frozen, 564
volatile flavor components in waste, 1515

cream
stability of liqueurs containing low molecular weight surfactants, 77

creep
comparison of phenomena in food protein gels, 170
comparison of transparent gels with turbid gels prepared from egg white, 1209

cryogenics
texture of frozen crayfish, 564

cucumbers
butyric acid spoilage in fermented, 636
cell wall characteristics of gamma-radiated pickles, 1266
chilling injury in associated with lipid peroxidation as measured by ethane evolution, 1488
conditioning to increase heat resistance in EFE system, 1375
softening effects of monovalent cations in acidified tissue, 366

curing
effect of storage temperature, time, and method of slicing on microbial population and white film development on vacuum packaged ham, 871
effect of temperature on flavor of peanuts, 1066
impact of Na ascorbate and Na erythorbate used in meat processing on vitamin B_{12} of ham, 1473

D

dairy products
determination of organic acids by HPLC,1076
effect of storage on levels of cholesterol oxidation products in, 874
properties of mixed and filled-type gels, 1213

debittering
mechanism in bitter peptides of enzymatic hydrolysates from milk casein by aminopeptidase T, 1225

deamidation
of food proteins by treatment with immobilized chymotrypsin at alkaline pH, 1345
properties of soy proteins, 598

DDGS (distiller's dried grains with solubles)
sensory evaluation of baked foods incorporating different levels of from wheat, 337
use of Na bicarbonate and increased liquid levels in baked products containing sour mash, 1507

defatting
chemical characterization of sardine meat powder produced by, 265

deformability
influence of poultry species, muscle groups, and NaCl in heat-set muscle gels, 1136

degradation
effect of ethylene, free fatty acid, and enzymes on chlorophyll, 1361
effect of methyl ester content on chelator-soluble carrot pectin, 1272
effect of oxygen on 5-methyl-5,6,7,8-THFA, 146
of desmin and actinin in bovine muscle, 1426
of titin and nebulin of beef steaks varying in tenderness, 748

dehulling
effect on nutritive value of cowpea flour, 1371

dehydration
chemical characterization of sardine meat powder produced by, 265
low-temperature vacuum approach for low-temperature and low-pressure food drying, 1573
optimization in carrots using RSM, 714

delayed light emission
as indicator of cantaloupe maturity, 1094

denaturation
influence of pH, NaCl, Na tripolyphosphate and cooking temperature on myoglobin in beef, pork, and turkey, 536
of egg white studied by chromatography and immunochemistry, 906
of protein in hard-to-cook beans, 1284

densification
effects on supercritical extraction of mushroom oleoresins, 135

density
determination of cross-link in egg white gels from stress relaxation data, 218

depuration
of taint by lobsters exposed to fuel oil contaminated water: relationship to aromatic hydrocarbon content in tissue, 240

desmin
degradation in bovine muscle, 1426

discoloration
effect of irradiation on potatoes, 982
microbiology of dolphin fillets, 835

dies
analysis of pressure drop in extruder, 709
modeling flow in cylindrical extruder, 1584

diet
effects of frankfurters with added beef fat and peanut oil, 497

diffusion
coefficients of glucose, potassium and magnesium in potatoes, 985
effect of sugars on water in hydrated granular starches, 1496
improvement of method for rapid determination of constants in gels or foods, 166

digestibility
effect of myo-inositol phosphate esters on protein, 1348
effect of pH on calcium, zinc, and phytate solubilities following soy protein isolate, 587
relationship to structure of legume 7S proteins, 108

dill (*Anethum graveolens* L.)
effect of drying method, packaging, and storage temperature and time on quality of, 1485

dimethylamine
effect of mixing and moisture modification in pollack during frozen storage, 1524

disaccharides
appearance of kinetic compensation effect in acid catalyzed hydrolysis of, 222

dolphin (*Coryphaena hippurus*)
microbiological studies of cause of discoloration of, 835

droplet
electronic imaging system for determining size in emulsions, 440

drying
effect of method on quality of dill, 1485
explosion puffing of fruits and vegetables, 772
low-temperature vacuum dehydration approach for low-temperature and low-pressure food, 1573
of agar gel sphere in desiccated cold air flow, 416
thermal conductivity of cellular tissues during: prediction by computer model, 194

D-values
describing inactivation kinetics of bacterial spores: computer simulation, 720

E

EFE
conditioning cucumbers to increase heat resistance in, 1375

effluent
recovery of protein and microorganisms from shrimp peeler, 1660

egg
characterization of water soluble yolk proteins with IEF, 764
chromatography of xanthophylls from hens fed Bermuda grass meal, 584
comparison of transparent gels with turbid gels prepared from white: creep analysis, 1209
denaturation of white studied by chromatography and immunochemistry, 906
determination of cross-link density in gels from stress relaxation data, 218
effect of heat processing on iron bioavailability, 154
GC method for quantification of cholesterol oxidation products in yolk powder, 427
predicting dynamic elastic modulus of mixed gelatin-white gels, 430
properties of salted yolk in mayonnaise, 210
rheology during frozen storage, 35
Salmonella inactivation by thermoradiation, 902
texture changes on heating of spray-dried white, 1206
uracil as indicator of spoilage in products, 581

EGTA
effect of muscle pH and calcium content on quality of chicken breast muscle, 1155

elastic modulus
predicting in mixed gelatin-egg white gels, 430

electrical stimulation
bilateral temperature asymmetry in loin of bovine carcass, 11

electricity
effect of charge on attachment of *S. typhimurium* to meat surfaces, 516

electronic imaging
system for determining droplet size and dynamic breakdown of protein stabilized emulsions, 440

electrophoresis
analysis of protein changes in ground beef stored at 2°C, 287
hard-to-cook beans: changes in protein patterns during storage, 1367
identification of fish species used in surimi products, 253
patterns of gadoid and non-gadoid fish muscle during frozen storage, 819
separation of cod proteins after frozen storage, 827

emulsification
activity of BSA and casein assessed by different methods, 1341
of bovine milk fat globule membrane in milk fat emulsion: conditions for reconstitution of milk fat globules, 1534
physicochemical parameters of protein additives, 1177
properties of food proteins: development of standardized method, 39
properties of rice bran protein concentrates, 142

emulsifiers
effect on inhibition of enzymatic browning in apple juice, 1096

emulsion
effects of collagen and alkaline phosphate on stability in fine-cut meat systems, 541
effect of tomato paste on rheological properties and particle size distribution of oil-in-water, 437
electronic imaging system for determining droplet size and dynamic breakdown of protein stabilized, 440
properties of bovine milk fat globule membrane in milk: conditions for reconstitution of milk fat globules, 1534
stability of beef frankfurters with different fat or peanut oil levels, 867

endomysium
biochemical characterization of collagen in carp and mackerel muscle, 1511

energy
effect of microwave on tocopherols of soybean seeds, 1596

enteral products
effect of storage, carbohydrate composition, and heat processing on protein quality and amino acid bioavailability of, 1024

enterotoxin A
effects of polyphosphates on *S. aureus* 196E, 1550

enzyme
acid inactivation of soybean lipoxygenase with retention of protein solubility, 963
browning in potatoes and related cultivars, 362
colorimetric assay for bacterial lipase in nonfat dry milk, 1557
control of browning in apple juice with ascorbic acid derivatives, PPO inhibitors, and complexing agents, 997
debittering mechanism in bitter peptides of hydrolysates from milk casein by aminopeptidase T, 1225
determination of L-glutamic acid in cheese using flow-injection system with immobilized column, 423
effect of bisulfite on lobster shell phenoloxidase, 478
effect of emulsifying agents on inhibition of browning in apple juice, 1096
effects of lysozyme, clupeine, and sucrose on foaming properties of whey protein isolate and lactoglobulin, 743
effect of pH on kinetics of soybean lipoxygenase-1, 1594
effect of phytate on solubility, activity and conformation of trypsin and chymotrypsin, 695
effect on chlorophyll degradation, 1361
growth conditions affecting proteinase production by *P. fragi*, 686
n-hexanol formation from n-hexanal by action in soybean extracts, 1607
improved tenderness of steaks by microbial collagenase from Vibrio, 855
isolation and characterization of pectin methylesterase from apple fruit, 653
lipase mediated production of flavor and fragrance esters from fusel oil, 1565
method for vitamin C in fruits and vegetables using peroxidase, 374
pectinase recovery from UF apple juice, 412
peroxidase of kiwifruit, 760
phenoloxidase from lobster: mode of activation and characterization, 63
processing parameters of chymosin extraction by ultrasound, 700
production and size distribution of rice maltodextrins hydrolyzed from milled rice flour using heat-stable alpha-amylase, 190
properties of ovalbumin and lysozyme treated with oleic acid, 1639
properties of soy proteins deamidated by, 598
purification and characterization of asparagus lipoxygenase, 371
purification and characterization of peroxidase from green peas, 644
reduction of glucose content in potatoes with glucose oxidase, 118
soybean protease inhibitors in foods, 606
stability of acid phosphatase activity in cured/canned picnic samples stored frozen, 752
stabilization of lactase by milk components, 899
statistical patterns of lipase activities on release of short-chain fatty acids in cheddar cheese slurries, 1559
thermal activation of actomyosin Mg-ATPases from muscles of tuna and sardine, 1521
thermal stability of cathepsin D, 1651
temperature dependency of rigor-mortis of fish muscle: myofibrillar Mg-ATPase activity and calcium uptake by sarcoplasmic reticulum, 1107
tomato peroxidase: isolation and characterization, 1269
tyrosinase activity and isoenzymes in developing mushrooms, 128
tyrosinase activities and isoenzymes in mushrooms, 1377

Errata
232, 496, 781, (5) v

Escherichia coli
stabilization of lactase by milk components, 899

ethane
chilling injury in cucumbers associated with lipid peroxidation as measured by evolution of, 1488

ether
edible film of lipids and cellulose: barrier properties to moisture vapor transmission and structural evaluation, 1383
edible film of lipid and cellulose: performance in model frozen food system, 1390
extractable fat in beef carcasses with same marbling score but different yield grades, 1364

ethylene
effect on chlorophyll degradation, 1361

Eurotium herbariorum
heat resistance of xerophilic mold, 683

explosion
puffing of fruits and vegetables, 772

extraction
effect of condition on extractability of winged bean protein, 1656
effects of substrate densification and carbon dioxide conditions on mushroom oleoresins, 135
of oil from palm kernel, 491
predicting soluble solids from fruits in single screw counter current diffusion extractor, 1261
processing parameters of chymosin by ultrasound, 700
stability of melon seed oil obtained by solvent, 71

extractor, counter current diffusion
predicting soluble solids extraction from fruits in single screw, 1261

extruder
model for twin-screw, 1047
modeling flow in cylindrical dies, 1584

extrusion
analysis of pressure drop in dies, 709
effect on lipid oxidation, 1580
kinetics of phase transition of corn starch at differing temperatures, 1298
properties and structure of amylose-glyceryl monostearate complexes formed in wheat flour, 950
properties of soybean-corn mixtures processed by, 1590

F

fababean
binding of vanillin by proteins, 105
sensory evaluation of binding of vanillin by proteins, 324

factorial
approach to modeling water activity of high moisture food, 925

fat
analysis of aldehydes and ketone in headspace of heated pork, 1471
composition of pork chops: effect of removing subcutaneous before cooking, 15
dietary effects of frankfurters with added beef, 497
effect of pre-chill removal of kidney on bull carcass quality and muscle tenderness, 1434
emulsifying properties of bovine milk globule membrane in milk emulsion: conditions for reconstitution of globules, 1534
emulsion stability and sensory quality of beef franks with differing levels of, 867
ether-extractable in beef carcasses with same marbling score but different yield grades, 1364
fatty acid composition and caloric value of ground beef containing low levels of, 1163
partitioning and flavor threshold interactions of food packaging solvents in cookies, 173
properties of frankfurters low in containing monounsaturated and omega-3 polyunsaturated oils, 500
thermal conductivity of lamb, 508

fermentation
butyric acid spoilage in cucumbers, 636
changes in oxalate content in fish paste hentak, 754
cultures for, 839
effect by cultures of yeasts and *lactobacilli* on phytic acid and polyphenol content of pearl millet, 780
of baker's yeast cultivated on cheese whey permeate, 1238
of fiber supplements, 347

fern, ostrich (*Matteuccia struthiopteris* L.)
effects of storage temperature, humidity and duration on quality of, 132

ferric glycinate
comparison to ferrous sulfate in model infant formulas: kinetics of TBA, lysine and methionine changes, 1230
comparison to ferrous sulfate in model infant formulas: kinetics of vitamin losses, 1530

ferrous sulfate
comparison to ferric glycinate in model infant formulas: kinetics of TBA, lysine and methionine changes, 1230
comparison to ferric glycinate in model infant formulas: kinetics of vitamin losses, 1530

fiber
effect on texture and cooking characteristics of pork, 1190
fermentabilities of supplements, 347
formulation and sensory evaluation of low calorie bar, 727

film
barrier properties and surface characteristics of edible bilayer, 1393
effect of storage temperature, time, and method of slicing on development in vacuum packaged, dry-cured ham, 871
evaluation of edible bilayer for use as moisture barriers for food, 1400
integral method analysis of steam infusion heating of free falling, 734
of lipids and cellulose ethers: barrier properties to moisture vapor transmission and structural evaluation, 1383
of lipids and cellulose ethers: performance in a model frozen food system, 1390
phosphate and salt effects on shear strength of and packaging adhesion to processed meat from cook-in packaging systems, 1422
sealant effects on adhesion at sealant-meat interface in cook-in packaging system for processed meat, 863

filtering
effect on decrease of peroxide value of autoxidized soybean oil, 1601

filtration
modeling of apple juice, 1003

firmness
effect of delayed cooling on poststorage apples, 493

flavonol
mutagenic aglycones in infusions and in fresh and pickled vegetables, 1492

flavor
development of chocolate peanut beverage, 1359
effects of packaging on stability of dry whole milk, 1222
effect of maturity on peanuts, 475
effect of maturity and curing temperature on peanuts, 1066
effect of phosphate with nitrite or Maillard products on warmed-over in beef, 1431
evaluation and volatile constituents of stored orange juice, 82
four sensory evaluation methods for assessing cooked dry beans, 1278
in strawberry juice concentrate, 1255
influence of phospholipid content and fatty acid composition of phospholipids in bison, Hereford and Brahman steers on, 521
lipase mediated production of esters from fusel oil, 1565
objectionable, of soy milk developed during soaking of soybeans, 602
threshold interactions of food packaging solvents in high-fat cookies, 173
volatiles in crayfish waste, 1515

flavoring
characterization and utilization of wash water from clam processing plants as, 55

flax
properties of seed mucilage, 1302

flow
in cylindrical extruder dies, 1584

flow-injection system
determination of L-glutamic acid in cheese using with immobilized enzyme column, 423

flour
effect of germination, dehulling and cooking on nutritive value of cowpea, 1371
factors affecting wheat amylographic maximum viscosity, 610
production and size distribution of rice maltodextrins hydrolyzed from, 190
production from microwave vacuum-dried peanuts, 187
properties and structure of amylose-glyceryl monostearate complexes formed on extrusion of wheat, 950
properties of defatted and detoxified madhuca, 351

fluids
location of slowest heating zone for convection heating in metal containers, 205

fluorescence
intensity indicates bean hardening, 1078

fluoride
determination of in cocoa powder by ion-selective electrode, 1650

foaming
effect of lysozyme, clupeine, and sucrose on properties of whey protein isolate and β-lactoglobulin, 743
properties of rice bran protein concentrates, 142

folate
effect of oxygen on thermal degradation of 5-methyl-5,6,7,8-THFA, 146

food(s)
applicability of time-temperature indicators as shelf life monitors of, 783
high moisture: factorial approach to modeling water activity of, 925
predictive model for particle interactions with contact surfaces, 22
time-temperature indicators as quality monitors under nonisothermal conditions, 789

food development
formulation and sensory evaluation of low calorie fiber bar, 727
of a chocolate flavored peanut beverage, 1359

food, ethnic
changes in corn and sorghum during nixtamalization and tortilla baking, 330
chemical and antinutritional components during tempeh preparation using beans, 968
chemical and nutritional characterization of lupine tempeh, 102
determination of sweet potato starch mixed in kudzu starch by moisture sorption method, 487
effect of pretreatment on cooking time of African yam bean, 758
nutritional quality and sensory acceptability of akara prepared from germinated tepary beans, 114
ogi from malted corn: chemical, pasting, and sensory properties, 971

food, solid
water sorption equilibrium expression for based on thermodynamic considerations, 738

foot-and-mouth disease
ingredient effects on thermal inactivation of virus in meat products, 1479

formaldehyde
amount added to milk in grana padano cheese production, 578
denaturation of cod myosin during freezing after modification with, 814

fortification
estimation of iron availability from meals and beef: effect of, 1441

fragrance
lipase mediated production of esters from fusel oil, 1565

frankfurters
dietary effects of with added beef fat and peanut oil, 497
effects of Na tripolyphosphate on physical, chemical and textural properties of, 505
effect of pretreatment of corn germ protein on quality of, 1452
emulsion stability and sensory quality of beef with different fat or peanut oil levels, 867
processing, sensory and chemical properties of wieners prepared from CO2, brine and chilled beef, 277
properties of containing monounsaturated and omega-3 polyunsaturated oils, 500

freezing
changes in texture of green peas during, 96
denaturation of cod myosin during, after modification with formaldehyde, 814
edible film of lipid and cellulose ethers: performance in model food system, 1390
effect of mixing and moisture modification on toughening and dimethylamine formation in pollack during storage, 1524
effect of rate on beef patty quality, 532
effects of rate of on tenderness of beef, 291
effect on ascorbic acid retention in water blanched potato, 1090
electrophoretic patterns of gadoid and nongadoid fish muscle during storage, 819
factors influencing stability of kiwifruit pulp, 396
protection of menhaden mince lipids from rancidity during storage, 1120
rate effects on oxidation of lipids and myoglovin in pork sausage, 549
rheology of pasteurized egg during storage, 35
separation of cod proteins by electrophoresis and HPLC after storage, 827
texture changes of stored cod and perch, 824

freeze drying
starch/sucrose interactions by organic probe analysis: inverse GC study, 162

freezing, mechanical and cryogenic
texture of crayfish, 564

fruit(s)
explosion puffing of, 772
method for vitamin C in using peroxidase, 374
predicting soluble solids extraction from in single screw counter current diffusion extractor, 1261

frying
evaluation of polydimethylsiloxane fluids as noncaloric media for, 1061

fuel oil
tainting and depuration of taint by lobster exposed to contaminated water: relationship with aromatic hydrocarbon content in tissue, 240

fumitremorgin
influence of oxygen on production of by heat-resistant mold, 679

fusel
lipase mediated production of flavor and fragrance esters from oil, 1565

G

gadoid
electrophoretic patterns of fish muscle during frozen storage, 819

garlic
effect of pH and heat treatment on formation of volatiles in, 632
odor components of human breath after ingestion of raw, 763
stability of allicin in juice, 977

gaskets
determination of migrants from rubber of commercial aerosol valves used in food packaging, 465

gels
comparison of creep phenomena in food protein, 170
comparison of transparent with turbid prepared from egg white: creep analysis, 1209
contribution of tropomyosin to fish characteristics, 258
determination of cross-link density in egg white from stress relaxation data, 218
effect of heating on properties of paramyosin-myosin system, 481
effect of heating rate and protein concentration on strength of muscle protein, 850
electrophoretic analysis of protein changes in ground beef stored at 2°C, 287
improvement of cell diffusion method for rapid determination of diffusion constants in, 166
influence of chicken muscle myosin on morphology and strength of, 1158
influence of poultry species, muscle groups, and NaCl on strength, deformability and water retention in heat-set, 1136
low temperature drying of agar in desiccated cold air flow, 416
model for characterization of stress relaxation of agar and alginate, 1012
paramyosin-myosin-actin interactions in formation of in invertebrate muscle, 796
predicting dynamic elastic modulus of mixed gelatin-egg white, 430
properties of mixed and filled-type dairy, 1213
proteolytic activity of surimi from whiting and heat-set texture, 1116
rheology of heat-induced ovalbumin prepared by different heating methods, 1532
species identification of shrimp by urea IEF, 233

gelatiniztion
of starch in hard-to-cook beans, 1284

gelation
actin in fish actomyosin, 800
changes in properties of chicken myofibrils during storage, 1141
dynamic viscoelastic behavior of F-actin on heating, 231
effect of UV irradiation on muscle pastes, 1438
evaluation of bovine plasma protein isolates, 1381
molecular forces involved in of plasma proteins at alkaline pH, 1202
of trout: effect of pH, NaCl and setting, 805
predicting dynamic elastic modulus of mixed egg white gels, 430
rheological changes of milk by GDL, 894
texture changes on heating spray-dried egg white, 1206

germination
effect on nutritive value of cowpea flour, 1371
effect on oligosaccharides and nonstarch polysaccharides in navy and pinto beans, 1615
of amaranth seeds: effects on nutrient composition and color, 761

glassine
identification of volatile compounds from packages, 770

glucose
diffusion coefficients in potatoes, 985
kinetics of formation of pyrazine in amino acid- systems, 1611
reduction of content in potatoes with oxidase, 118

glucosides
limonoids in commercial citrus juices, 1505

glucosinolates
effect of methanol-ammonia-water treatment on concentration of in canola, 1306

glutelin
fractionation of rice polypeptides using gel filtration chromatography, 730

glyceryl monostearate
properties and structure of amylose complexes formed in solution or on extrusion of wheat flour, 950

goat
effect of processing and storage on fate of vitamins B_1, B_2, and C and on shelf-life of milk, 30

gram, red (*Cajanus cajan*)
histological basis for hard-to-cook phenomenon in, 125

grape
kinetics of color change of juice generated using linearly increasing temperature, 776

grapefruit
half-embryo test for identification of irradiated, 379
improvement of half-embryo test for detection of irradiated, 1501

grinder
oxidative effects of wear on lipids and myoglobin in pork sausage, 545

grinding
chemical, textural and sensory characteristics of lamb as influenced by method of, 1198
effect of system on removal of bone chips from ground meat, 527

guanylate, disodium-5'-
replacement of NaCl by KCl modified with in pork sausage: acceptability testing, 553

H

half-embryo test
improvement for detection of irradiated grapefruit and application to irradiated oranges and lemons, 1501

ham
effect of storage temperature, time, and method of slicing on microbial population and white film development on vacuum packaged, dry-cured, 871
effect of tempeh on properties of, 1186
impact of Na ascorbate and Na erythorbate used in meat processing on vitamin B12 of, 1473
measurement of safrole and isosafrole in, 1475
properties of pre-rigor pork: hot vs cold processing of, 307
stability of acid phosphatase activity in cured/canned picnic samples stored frozen, 752

hardening
fluorescence intensity indicates bean, 1078

headspace
analysis of aldehydes and ketones in of heated pork fat, 1471

heat
conditioning cucumbers to increase resistance to in EFE system, 1375
effect of pH and ATP on contracture of rabbit muscle, 1074

heating
dynamic viscoelastic behavior of F-actin on, 231
effect of dried egg white on iron bioavailability, 154
effect of temperature on thermal resistance of *S. aureus*, 936
effects of microwave on phytate and phospholipid contents of soybean, 958
effect on formation of volatile compounds of garlic, 632
effect on gel properties of paramyosin-myosin system, 481
effect on gel strength and water loss of muscle protein gels, 850
effect on protein quality and amino acid bioavailability of commercial enteral product, 1024
establishing thermal processes for products with straight-line curves from data taken at other retort and initial temperatures, 1040
gelation of trout: effect of pH, NaCl and setting, 805
integral method analysis of steam infusion of free falling film, 734
interactions between lactalbumin, lactoglobulin and casein in milk and buffer, 889
location of slowest zone for convection fluids in metal containers, 205
puffing of rice cakes as influenced by, 1310
rates in flexible packages containing entrapped air during overpressure processing, 1417
resistance of *Eurotium herbariorum* mold, 683
rheology of heat-induced ovalbumin gels prepared by different methods, 1632
sterilization of foods in oval shaped containers, 1327
texture changes of spray-dried egg white, 1206

heat transfer
determination of retortable pouch coefficients by optimization method, 1407
effects of by radiation and convection on browning of cookies at baking, 621
effect of ultrasonic vibration on fluid-to-particle convective coefficients, 229
of particulate solids in continuously flowing system, 1017

hentak
changes in oxalate content in fermentation of fish paste, 754

n-hexanal
formation of from n-hexanol by enzyme action in soybean extracts, 1607

n-hexanol
formation from n-hexanal by enzyme action in soybean extracts, 1607

histamine
in preserved and semi-preserved fish products, 1653

histology
basis for hard-to-cook phenomenon in red gram cultivars, 125

horseradish
method for determining allylisothiocyanate in products containing, 778

humidity
effects of storage on ostrich fern quality, 132

hydrocarbon(s)
tainting and depuration of taint by lobsters exposed to fuel oil contaminated water: relationship with content of in tissues, 240

hydrocolloids
calcium binding of microalgal polysaccharides and industrial, 1336

^{1}hydrogen
NMR relaxation studies of the NaCl/lactoglobulin system equilibrated at various water activities, 909

hydrolysates
debittering mechanism in bitter peptides of from milk casein by aminopeptidase T, 1225

hydrolysis
appearance of kinetic compensation effect in acid catalyzed of disaccharides, 222
determination of lactose in milk using cerium, 419
of lactose in whey systems, 1086

I

ice cream
development of syrups from cheese whey ultrafiltration permeate and utilization in, 880

imbibition
comparison of methods used to characterize water in hard-to-cook beans, 326

imidazoles
formed in nonenzymatic browning reactions, 1544

immunoblotting
soy protein in milk replacers identified by, 766

immunochemistry
thermal denaturation of egg white, 906

incubation
inactivation of *L. monocytogenes* in medium as affected by temperature of, 650

infant formulas
comparison of ferric glycinate to ferrous sulfate in: kinetics of TBA, lysine and methionine changes, 1230
comparison of ferric glycinate to ferrous sulfate in: kinetics of vitamin losses, 1530
soy protein in milk replacers identified by immunoblotting, 766

infusions
mutagenic flavonol aglycones in, 1492

ingredient(s)
effects on thermal inactivation of foot-and-mouth disease virus in meat products, 1479

inhibitors
of soybean protease in foods, 606

inosinate, disodium-5'-
replacement of NaCl by KCl modified with in pork sausage: acceptability testing, 553

inositol
effects of tri-, tetra-, penta-, and hexaphosphates on estimation of iron bioavailability, 159

interactions
predictive model for food particle-contact surface, 22

ion
whc in beans: effect of, 1080

ion-selective electrode
determination of fluoride in cocoa powder by, 1650

iron
comparison of ferric glycinate to ferrous sulfate in model infant formulas: kinetics of vitamin losses, 1530
effect of Ca level on bread utilization by deficient rats, 943
effect of heat processing on egg bioavailability, 154
effects of inositol tri-, tetra-, penta-, and hexaphosphates on estimation of bioavailability, 159
estimation of availability from meals and beef: effect of processing and fortification, 1441

irradiation
effect on antibotulinal efficacy of nitrite, 1313
effect on discoloration, phenols and lipids of potatoes, 982
effects on phytate and phospholipid contents of soybean, 958
effect on thermal gelation of muscle pastes, 1438
effect on thiamin content of pork, 1461
extension of shelf life of catfish using low dose, 269
gamma: improvement of half-embryo test for detection of in grapefruit and application for oranges and lemons, 1501
half-embryo test for identification of grapefruit, 379
microbiological quality of spices, 489

irrigation
influence on keeping quality of almond kernels, 1642

isoenzymes
purification and characterization of peroxidase from green peas, 644
of tyrosinase in developing mushrooms, 128
tyrosinase activities in mushrooms, 1377

isoelectric focusing
characterization of water soluble egg yolk proteins with, 764
species identification of shrimp by, 233
to quantify the amount of formaldehyde added to milk in grana padano cheese production, 578

isosafrole
measurement in ham, 1475

isosteric heat
temperature dependence of water sorption in dehydrated foods, 1620

J

juice
control of enzymatic browning in apple with ascorbic acid derivatives, PPO inhibitors, and complexing agents, 997
effect of chitosan on clarity and color of apple, 495
effect of emulsifying agents on inhibition of enzymatic browning in apple, 1096
effect of fruit storage and processing on clarity, proteins, and stability of apple, 660
effect of storage temperature on stability of orange, 227

flavor, aroma, and compositional changes in strawberry concentrate, 1255
flavor evaluation and volatile flavor constituents of stored orange, 82
kinetics of color change of grape generated using linearly increasing temperature, 776
limonoid glucosides in commercial citrus, 1505
modeling of apple filtrations, 1003
molecular cut-off of UF membranes and quality and stability of apple, 1250
nonenzymic browning in kiwifruit concentrate during storage, 669
pectinase recovery from UF apple, 412
prediction of thermal conductivity of fruit by thermal resistance model, 1007
production of microbiologically stable apple by metallic membrane UF, 408
stability of allicin in garlic, 977
thermophysical properties of apple as function of concentration and temperature, 663
use of acidification, low temperature and sorbates for storage of orange, 674

K

ketones
analysis of in headspace of heated pork fat, 1471

kinetics
analysis of TDT and Arrhenius methods for handling data, 1322
appearance of compensation effect in acid-catalyzed hydrolysis of disaccharides, 222
applicability of time-temperature indicators as shelf-life monitors of food products, 783
comparison of ferric glycinate to ferrous sulfate in infant formulas: TBA, lysine and methionine changes, 1230
comparison of ferric glycinate to ferrous sulfate in model infant formulas: vitamin losses, 1530
determination of D-values of bacterial spores: computer simulation, 720
determination of parameters using linearly increasing temperature, 446
effect of pH on soybean lipoxygenase-1, 1594
of color change of grape juice generated using linearly increasing temperature, 776
of phase transition of waxy corn starch at extrusion temperatures and moisture contents, 1298
of pyrazine formation in amino acid-glucose systems, 1611
predictive model for food particle interactions with contact surfaces, 22
reactions of aqueous Cl and chlorine dioxide with tryptophan, N-methyltryptophan, and 3-indolelactic acid, 1057
time-temperature indicators as food quality monitors under nonisothermal conditions, 789

kiwifruit
factors influencing stability of frozen pulp, 396
nonenzymic browning in juice concentrate during storage, 669
peroxidase of, 760

kudzu
determination of sweet potato starch mixed in by moisture sorption method, 487

L

lactalbumin
interactions with lactoglobulin and casein in milk and buffer, 889

lactase
stabilization of by milk components, 899

lactate
quality of turkey with variable alginate/calcium ration, 558

lactobacilli
effect of fermentation by cultures of on phytic acid and polyphenol content of pearl millet, 780
evolution of free amino acids during ripening of cheddar cheese containing added, 885
HPLC separation of bitter and astringent fractions from cheddar cheese made with added, 1234

Lactobacillus bulgaricus
effect of water activity of milk on acid production by, 917
factors affecting amine production by, 940
interaction of antibiotics and water activity on, 922

β-lactoglobulin
effect of lysozyme, clupeine, and sucrose on foaming properties of whey isolate and, 743

lactoglobulin
interactions with lactalbumin and casein in milk and buffer, 889
NMR relaxation studies of NaCl system equilibrated at various water activities, 909

lactone, D-glucono-delta
rheological changes during acid induced gelation of milk by, 894

lactose
batch hydrolysis in whey systems, 1086
determination in milk using cerium, 419

lamb
chemical, textural and sensory characteristics of as influenced by grinding, salt, and vacuum massage time, 1198
method for following postmortem ATP depletion in muscle, 1365
thermal conductivity of meat, offals and fat, 508

legume
structure-digestibility relationship of 7S proteins, 108

lemons
application of improved half-embryo test for detection of irradiation in, 1501

Letters to Editor
(5) iii

limonene
bioconversion of by *P. gladioli*, 1241

limonoid
glucosides in commercial citrus juices, 1505

linseed
properties of protein products with different levels of mucilage, 183

lipase
colorimetric assay for in nonfat dry milk, 1557
mediated production of flavor and fragrance esters from fusel oil, 1565
statistical patterns of activities on release of short-chain fatty acids in cheddar cheese slurries, 1559

lipid(s)
chilling injury in cucumbers associated with peroxidation as measured by ethane evolution, 1488
distribution of classes in different sites in blue mackerel, 569
edible film of: barrier properties to moisture vapor transmission and structural evaluation, 1383
edible film of: performance in model frozen food system, 1390
effects of dietary antioxidants and oxidized oils on membranal stability and pork product quality, 1193
effect of dietary oils and tocopherol supplementation on composition and stability of broiler meat, 1457
effect of extrusion on oxidation, 1580
effect of irradiation on potatoes, 982
effects of microwave energy on tocopherols of soybean seeds, 1596
effect of processing on stability of in smoked whitefish, 52
improvement in stability of in Holstein beef by dietary supplementation with vitamin E, 858
oxidation of pork and turkey stored under modified atmospheres, 846
oxidative effects of grinder wear on in pork sausage, 545
pallet location and freezing rate effects on oxidation of in pork sausage, 549
peroxidation protection factors in trout muscle cytosol, 809
protection of menhaden from rancidity during frozen storage, 1120

lipoxygenase
acid inactivation of soybean with retention of protein solubility, 963
-1: effect of pH on kinetics of soybean, 1594
purification and characterization of asparagus, 371

liquid
use of increased levels in baked products containing sour mash DDGS, 1507

Listeria monocytogenes
inactivation in medium as affected by benzoic acid and incubation temperature, 650
pathogenicity of foodborne, environmental and clinical isolates of in mice, 1553
Scott A: factors affecting growth of, 458
survival on processed poultry, 556

liqueurs
stability of cream containing low molecular weight surfactants, 77

lobster
effect of bisulfite on shell phenoloxidase, 47, 478
Florida spiny (*P. argus*): mode of activation and characterization of phenoloxidase from, 63
H. americanus: tainting and depuration of taint by exposed to fuel oil contaminated water: relationship with aromatic hydrocarbon content in tissue, 240

lupine
chemical and nutritional characterization of tempeh, 102

lysine
comparison of ferric glycinate to ferrous sulfate in infant formulas: kinetics of, 1230

lysozyme
effect on foaming properties of whey protein isolate and β-lactoglobulin, 743
properties of treated with oleic acid, 1639

M

mackerel
biochemical characterization of collagen in fractions of muscle, 1511
blue (*S. australasicus*): distribution of lipid classes and EPA and DHA in different sites in, 569
Indian (*R. kanagurta*): spoilage potential of contaminant bacteria from, 1111

madhuca (*Madhuca butyracea*)
properties of defatted and detoxified seed flour, 351

magnesium
diffusion coefficients in potatoes, 985
temperature-dependency of rigor mortis of fish: myofibrillar ATPase activity, 1107
thermal activation of ATPases from ordinary and dark muscles of tuna and sardine, 1521

Maillard reaction
effect of phosphate with products on warmed-over flavor in beef, 1431

maltodextrins
production and size distribution of rice hydrolyzed from rice flour, 190

manufacturing
effect of modified parameters on quality of cheddar cheese made from UF milk, 573

marbling
ether-extractable fat in beef carcasses with same score for but different yield grades, 1364

marinades
evaluation of southern peas, 640

massage
chemical, textural and sensory characteristics of lamb as influenced by time of, 1198
effect of time on chemical, textural and sensory characteristics of chuck, 843

mathematics
characterization of compressive stress-strain relationships of spongy baked goods, 947
factorial approach to modeling water activity of multicomponent food in high moisture range, 925

maturity
delayed light emission as indicator of cantaloupe, 1094
effect on flavor of peanuts, 1066
effect on roast color and flavor of peanuts, 475
effect of soybean on storage stability and process quality, 593

materials
surface characterization of targeted for food contact, 224

mayonnaise
properties of salted egg yolk in, 210
water activity and chemical composition of, 1658

meals
estimation of iron availability from: effect of processing and fortification, 1441

meat
cultures for fermentation, 839
film sealant and vacuum effects on adhesion at sealant interface in cook-in packaging system for processed, 863
ingredient effects on thermal inactivation of foot-and-mouth disease virus in, 1479
phosphate and salt effects on shear strength of and packaging film adhesion to from cook-in packaging systems, 1422
See also individual species

mechanical deboning
yields, color and composition of washed, kneaded and heated poultry meat, 561

melon
stability of seed oil obtained by solvent extraction, 71

membranes
effects of dietary antioxidants and oxidized oils on lipid stability and pork product quality, 1193
molecular cut-off of ultrafiltration and quality and stability of apple juice, 1250

menhaden
protection of mince lipids from rancidity during frozen storage, 1120

metabolism
calorimetric examination of pineapple, 1246

methanol
effect on concentration of glucosinolates of canola, 1306

methionine
comparison of ferric glycinate to ferrous sulfate in infant formulas: kinetics of, 1230

methods/methodology
amount of formaldehyde added to milk in grana padano cheese production, 578
analysis of ATP and breakdown products in beef by reversed-phase HPLC, 1169
analysis of amino acids in soy isolates and navy beans using precolumn derivatization with phenylisothiocyanate and RP-HPLC, 756
analysis of TDT and Arrhenius for handling process and kinetic data, 1322
APIZYM testing system to assess state of ripeness of banana fruit, 1379
applicability of time-temperature indicators as shelf-life monitors of food products, 783
application of ultrasonic waves to detect mealworms in fish tissue, 244
bitter taste of olive oil: correlation of sensory evaluation and HPLC analysis, 68
capillary GC for quantification of cholesterol oxidation products in egg yolk powder, 427
characterization of water soluble egg yolk proteins with IEF, 764
chemical, textural and sensory characteristics of lamb as influenced by grinding, 1198
chilling injury in cucumbers associated with lipid peroxidation as measured by ethane evolution, 1488
clarification of cheese whey by aqueous two-phase systems, 1369
colorimetric assay for bacterial lipase in nonfat dry milk, 1557
comparison of single and concurrent evaluation of sensory and hedonic attributes, 1098
comparison of used to characterize water imbibition in hard-to-cook beans, 326
compositional analysis of cocoa products by NIR spectroscopy, 768
delayed light emission as indicator of cantaloupe maturity, 1094
design of modified atmosphere packaging systems: modeling oxygen concentrations within sealed packages of tomato fruits, 1413
determination of cross-link density in egg white gels from stress relaxation data, 218
determination of D values describing inactivation kinetics of bacterial spores: computer simulation, 720
determination of fluoride in cocoa powder by ion-selective electrode, 1650
determination of L-glutamic acid in cheese using flow-injection system with immobilized enzyme column, 423
determination of kinetic parameters using linearly increasing temperature, 446
determination of lactose and lactose hydrolysis in milk using cerium, 419
determination of organic acids in dairy products by HPLC, 1076
determination of retortable pouch heat transfer coefficients by optimization, 1407
determination of sweet potato starch mixed in kudzu starch by moisture sorption, 487
development of tissue culture system from immature strawberry fruits, 388
effect of extraction conditions on extractability of winged bean protein, 1656
effect of ionizing radiation on cholesterol in aqueous dispersion, 1569
effect of slicing on microbial population and white film development in vacuum packaged, dry-cured ham, 871
effect of ultrasonic vibration on fluid-to-particle convective heat transfer coefficients, 229
electronic imaging system for determining droplet size and dynamic breakdown of protein stabilized emulsions, 440
electrophoretic identification of fish species used in surimi products, 253
emulsifying activity of BSA and casein assessed by different, 1341
emulsifying properties of food proteins: development of standardized emulsification, 39
emulsifying properties of bovine milk fat globule membrane in milk fat emulsion: conditions for reconstitution of milk fat globules, 1534
establishing thermal processes for products with straight-line heating curves from data taken at other retort and initial temperatures, 1040
evaluation of helical screw rheometer as on-line viscometer, 483
evaluation of venison color using CIELAB values, 1661
factors affecting wheat flour amylographic maximum viscosity, 610
fluorescence intensity indicates bean hardening, 1078
for determining allylisothiocyanate in horseradish containing products, 778
for following postmortem ATP depletion in lamb muscle, 1365
for vitamin C in fruits and vegetables using peroxidase, 374
fractionation of rice glutelin polypeptides using gel filtration chromatography, 730
half-embryo test for identification of irradiated grapefruit, 379
HPLC for determination of aspartame and decomposition products, 1043
identification of volatile compounds from glassine packages, 770
improvement of cell diffusion method for rapid determination of diffusion constants in gels or foods, 166
improvement of half-embryo test for detection of irradiated grapefruit and application to irradiated oranges and lemons, 1501
integral analysis of steam infusion heating of free falling film, 734
isolation and characterization of pectin methylesterase from apple fruit, 653
measurement of safrole and isosafrole in ham, 1475
NIR analysis of soluble solids in cantaloupe, 393
nutritional, microbiological, and sensory qualities of peanut beverage, 1540
of sensory evaluation for assessing cooked dry bean flavor, 1278
optimization of carrot dehydration process using RSM, 714

predicting dynamic elastic modulus of mixed gelatin-egg white gels, 430
procedures for washing of minced whiting for surimi production, 248
processing parameters of chymosin extraction by ultrasound, 700
production and size distribution of rice amtodextrins hydrolyzed from milled rice flour using heat-stable alpha-amylase, 190
production of microbiologically stable apple juice by metallic membrane ultrafiltration, 408
properties of enzymatically deamidated soy proteins, 598
recovery of amino acids from seafood processing wastewater with dual chitosan-based ligand-exchange system, 60
reliability of time-temperature indicators as food quality monitors under nonisothermal conditions, 789
replacement of NaCl by modified KCl in pork sausage: acceptability testing using signal detection measures, 553
resistance to tear: instrumental measure of cohesive properties of muscle food products, 750
rheology of heat-induced ovalbumin gels prepared differently, 1632
size-exclusion HPLC separation of bitter and astringent fractions from cheddar cheese made with added *Lactobacillus* to accelerate ripening, 1234
soybean protease inhibitors in foods, 606
soy proteins in milk replacers identified by immunoblotting, 766
species identification of shrimp by urea gel IEF, 233
starch/sucrose interactions by organic probe analysis: inverse GC study, 162
surface characterization of materials targeted for food contact, 224
thermal conductivity of cellular tissues during drying: prediction by computer model, 194
thermal death determination: design and evaluation of thermoresistometer, 451
thermal processes for heterogeneous foods to be processed aseptically: theoretical comparison of process development, 198
temperature dependence of isosteric heats of water sorption in dehydrated foods, 1620
total sterols in seafood: TLC/FID vs GLC/FID, 793
uracil as indicator of spoilage in egg products, 581

methyl ester
effect on heat degradation of chelator-soluble carrot pectin, 1272

methylesterase, pectin
isolation and characterization of from apple fruit, 653

N-methyltryptophan
reactions of Cl and chlorine dioxide with, 1057

microalgae
Ca binding of polysaccharides and industrial hydrocolloids, 1336

microbiology
bioconversion of limonene by *P. gladioli*, 1241
cause of discoloration of dolphin, 835
changes in pork treated with organic acids and salts, 18
colorimetric assay for bacterial lipase in nonfat dry milk, 1557
cultures for meat fermentation, 839
determination of D values describing inactivation kinetics of bacterial spores: computer simulation, 720
effect of agents on attachment of *P. fragi* to stainless steel, 461
effect of electrical charge on attachment of *Salmonella typhimurium* to meat surfaces, 516
effects of gas atmosphere packaging on psychrotrophic growth on steak, 274
effect of fermentation by cultures of yeasts and *lactobacilli* on phytic acid and polyphenol content of pearl millet, 780
effects of high hydrostatic pressure on heat-resistant and heat-sensitive strains of *Salmonella*, 1547
effect of irradiation on antibotulinal efficacy of nitrite, 1313
effects of polyphosphates on cell numbers, enterotoxin A, and extracellular protein in *S. aureus* 196E, 1550
effects of K sorbate, Na acetate, phosphates and NaCl on shelf life of vacuum packaged pork, 302
effects of storage temperature, humidity and duration on ostrich fern quality, 132
effect of storage temperature, time, and method of slicing on population in vacuum packaged, dry-cured ham, 871
effect of sucrose and heating temperature on thermal resistance of *S. aureus*, 936
effect of water activity of milk on acid production by *S. thermophilus* and *L. bulgaricus*, 917
evolution of free amino acids during ripening of cheddar cheese containing added *lactobacilli* strains, 885
extension of shelf life of catfish using modified atmospheric packaging and irradiation, 269
factors affecting amine production by *L. bulgaricus*, 940
factors affecting growth of *Listeria monocytogenes* Scott A, 458
fate of *C. sporogenes* in fish sausage formulations with adjusted water activity using food binders, 1129
growth conditions affecting proteolytic enzyme and vesicle production by *P. fragi* ATCC 4973, 686
heat resistance of *E. herbariorum* mold, 683
HPLC of bitter and astringent fractions from cheddar cheese made with added *Lactobacillus* to accelerate ripening, 1234
inactivation and injury of *L. monocytogenes* in medium as affected by benzoic acid and incubation temperature, 650
influence of atmospheric oxygen content on growth and fumitremorgin production by heat-resistant mold, *N fischeri*, 679
influence of spice essential oils on *A. parasiticus* growth and production of aflatoxins in synthetic medium, 74
ingredient effects on thermal inactivation of foot-and-mouth disease virus in meat products, 1479
interaction of antibiotics and water activity on *S. thermophilus* and *L. bulgaricus*, 922
improved tenderness of steaks by collagenase from *Vibrio*, 855
of peanut beverage, 1540
of pecans stored frozen for 25 years, 472
pathogenicity of foodborne, environmental and clinical isolates of *L. monocytogenes* in mice, 1553
production of stable apple juice by metallic membrane UF, 408
quality changes in tomatoes and resistance to *Alternaria* infection as influenced by varying storage temperatures, 376
quality of irradiated spices, 489
recovery of protein and microorganisms from shrimp peeler effluent, 1660
Salmonella inactivation in liquid whole egg by thermoradiation, 902
shelf-life of algin/Ca restructured turkey products held under aerobic and anaerobic conditions, 1147
spoilage potential of contaminant bacteria from mackerel, 1111
stabilization of lactase by milk components, 899
survival of *L. monocytogenes* on processed poultry, 556
thermal death determination: design and evaluation of thermoresistometer, 451
use of acidification, low temperature, and sorbates for storage of orange juice, 674

microwave(s)
effects of heating on phytate and phospholipid contents of soybean, 958
effects on tocopherols of soybean seeds, 1596
production of peanut flour from vacuum-dried peanuts, 187

migrants
determination of from rubber gaskets of commercial aerosol valves used in food packaging, 465

milk
amount of formaldehyde added to in grana padano cheese production, 578
bioavailability of calcium from nonfat dry in rats, 146
colorimetric assay for bacterial lipase in nonfat dry, 1557
debittering mechanism in bitter peptides of hydrolysates from casein by aminopeptidase T, 1225
determination of lactose and lactose hydrolysis in using cerium, 419
determination of organic acids in by HPLC, 1076
effect of modified manufacturing parameters on quality of cheddar cheese made from UF, 573
effects of packaging on flavor stability of dry whole, 1222
effect of processing and storage on fate of vitamins B1, B2, and C and on shelf-life of goat, 30
effect of processing temperature and storage time on nonfat dry proteins, 1218
effect of water activity of on acid production by *S. thermophilus* and *L. bulgaricus*, 917
emulsifying properties of bovine fat globule membrane in fat emulsion: conditions for reconstitution of fat globules, 1534
interactions between lactalbumin, lactoglobulin and casein in, 889
objectionable flavor of soy developed during soaking of soybeans, 602
pulse NMR of casein dispersions, 704
rheological changes during gelation of by GDL, 894
soy protein in replacers identified by immunoblotting, 766
stabilization of lactase by components of, 899

milk fat globule membrane (MFGM)
emulsifying properties of bovine in milk emulsion: conditions for reconstitution of milk fat globules, 1534

milk fat globules (MFG)
emulsifying properties of membrane in milk emulsions: conditions for reconstitution of, 1534

millet, pearl
effect of fermentation by cultures of yeasts and *lactobacilli* on phytic acid and polyphenol content of, 780

mineral
effect of processing on content of sea cucumbers, 567

mixing
effect on toughening and dimethylamine formation in pollack during frozen storage, 1524

models/modeling
applicability of time-temperature indicators as shelf life monitors of food products, 783
comparison of ferric glycinate to ferrous sulfate in infant formulas: kinetics of vitamin losses, 1530
comparison of ferric glycinate to ferrous sulfate in infant formulas: kinetics of TBA, lysine and methionine changes, 1230
design of modified atmosphere packaging systems: oxygen concentrations within sealed packages of tomato, 1413
edible film of lipid and cellulose ethers: performance in frozen food system, 1390
effect of tomato paste on rheological properties and particle size distribution of oil-in-water emulsions, 437
factorial approach to water activity of high moisture food, 925
flow in cylindrical extruder dies, 1584
for characterization of stress relaxation of agar and alginate gels, 1013
for food particle interactions with contact surfaces, 22
for thawing time calculation in foods, 1031
for twin-screw extruder, 1047

heat transfer and sterilization of particulate solids in continuously flowing system, 1017
^{1}H and ^{23}Na NMR relaxation studies of the NaCl/lactoglobulin system equilibrated at various water activities, 909
integral method analysis of steam infusion heating of free falling film, 734
mathematical characterization of compressive stress-strain relationships of spongy baked goods, 947
nonenzymic browning in kiwifruit juice concentrate during storage, 669
of apple juice filtrations, 1003
predicting soluble solids extraction from fruits in single screw counter current diffusion extractor, 1261
prediction of thermal conductivity of fruit juices by thermal resistance, 1007
properties of whey-pea protein blends, 1287
texture changes on heating spray-dried egg white, 1206
thermal conductivity of cellular tissues during drying: prediction by computer, 194
thermal conductivity of lamb meat, offals and fat in the range −40 to +30°C: measurements and correlations, 508
time-temperature indicators as food quality monitors under nonisothermal conditions, 789
water activity: concentrations for solutions of sugars, salts and acids, 1318
water sorption equilibrium expression for solid foods based on thermodynamic considerations, 738

mobility
of water in sweetened whole soy concentrates and rheological properties, 931

mold
heat resistance of *E. herbariorum*, 683
influence of oxygen on fumitremorgin production by heat-resistant, 679

moisture
edible film of lipids and cellulose ether: barrier properties to vapor transmission and structural evaluation, 1383
effect on toughening and dimethylamine formation in pollack during frozen storage, 1524
evaluation of edible bilayer films for use as barriers for food, 1400
kinetics of phase transition of corn starch at differing contents of, 1298

moisture sorption
determination of sweet potato starch mixed in kudzu starch by, 487

molecular forces
involved in gelation of plasma proteins at alkaline pH, 1202

molecular weight
cut-off of UF membranes and quality and stability of apple juice, 1250

morphology
influence of chicken muscle myosin filaments on heat-induced gels, 1158

mucilage
properties of flax seed, 1302
properties of linseed protein products with different levels of, 183

muscle
biochemical characterization of collagen in fractions of carp and mackerel, 1511
changes in polyamines and amino acids in scallop during storage, 1138
changes in protein solubility and gelation properties of chicken myofibrils during storage, 1141
contribution of tropomyosin to fish gel characteristics, 258
conversion of provitamin D_3 to vitamin D_3 by UV rays in fish, 1070
desmin and actinin degradation in bovine, 1426
dynamic viscoelastic behavior of F-actin on heating, 231
effect of heating rate and protein concentration on gel strength and water loss of protein gels, 850
effect of pH and Ca content on quality of chicken breast, 1155
effect of pH and ATP on rabbit, 1074
effect of pre-chill removal of kidney fat on tenderness, 1434
effect of UV irradiation on thermal gelation of pastes, 1438
electrophoretic patterns of gadoid and nongadoid fish during frozen storage, 819
ether-extractable fat in beef carcasses with same marbling score but different yield grades, 1364
influence of chicken myosin filaments on morphology and strength of heat-induced gels, 1158
influence of groups on strength, deformability, and water retention in heat-set gels, 1136
influence of phospholipid content and fatty acid composition of phospholipids in bison, Hereford and Brahman steers on flavor, 521
lipid peroxidation protection factors in trout cytosol, 809
method for following postmortem ATP depletion in lamb, 1365
paramyosin-myosin-actin interactions in formation of gels in invertebrate, 796
resistance to tear: instrumental measure of cohesive properties of food products, 750
scanning calorimetric behavior of myosin and actin due to processing of, 49
sensory characteristics, texture, color, and nutrient content of veal, 1444
temperature-dependency of rigor-mortis of fish: myofibrillar Mg-ATPase activity and Ca uptake by sarcoplasmic reticulum, 1107
thermal activation of Mg-ATPases from ordinary and dark of tuna and sardine, 1521
ultrastructural changes in prawns during iced storage, 1125
effects of substrate densification and carbon dioxide conditions on supercritical extraction of oleoresins, 135

mushrooms
tyrosinase activities and isoenzymes in, 1377
tyrosinase activity and isoenzymes in developing, 128

mutagenicity
reactions of chlorine and chlorine dioxide with tryptophan, N-methyltryptophan, and 3-indolelactic acid, 1057

mutagens
flavonol aglycones in infusions and in fresh and pickled vegetables, 1492

myocommata
biochemical characterization of collagen in carp and mackerel muscle, 1511

myo-inositol
effect of phosphate esters on digestion of protein, 1348

myoglobin
influence of pH, NaCl, Na tripolyphosphate and cooking temperature on denaturation of in beef, pork, and turkey, 536
oxidative effects of grinder wear on in pork sausage, 545
pallet location and freezing rate effects on oxidation in pork sausage, 549

myosin
denaturation of cod during freezing after modification with formaldehyde, 814
effect of heating on gel properties of paramyosin system, 481
influence of chicken muscle filaments on morphology and strength of heat-induced gels, 1158
interactions in gel formation of invertebrate muscle, 796
scanning calorimetric behavior of due to processing of muscle and protein purification, 49

N

nebulin
degradation in beef steaks varying in tenderness, 748

Neosartorya fischeri
influence of oxygen on fumitremorgin production by, 679

nitrite
effect of irradiation on antibotulinal efficacy of, 1313
effect of phosphate on warmed-over flavor in beef, 1431

nixtamalization
changes in corn and sorghum during, 330

NMR
correlation of proton T_1 with polymer and solute waters in starch-sucrose mixtures, 691
of casein dispersions, 704
relaxation studies of NaCl/lactoglobulin system equilibrated at various water activities, 909

noodle
characteristics of pigeonpea and mung bean, 1293

nutrition
antinutritional components during tempeh preparation using beans, 968
characterization of lupine tempeh, 102
comparison of ferric glycinate to ferrous sulfate in model infant formulas: kinetics of vitamin losses, 1530
effect of germination, dehulling and cooking on cowpea flour, 1371
enteral: effect of storage, carbohydrate composition, and heat processing on protein quality and amino acid bioavailability of commercial enteral product, 1024
germination of amaranth seeds; effect on composition, 761
loss of nutrients due to scarification of pigeonpea cotyledons, 974
of peanut beverage, 1540
of veal, 1444
quality of akara prepared from germinated tepary beans, 114

O

oat
characteristics of wiener-type products substituted with native and acid-hydrolyzed protein isolates, 1450

odor
acetone extracted cottonseed meal without catty, 1088
components of human breath after ingestion of raw garlic, 763

offal
thermal conductivity of lamb, 508

ogi
from malted corn: chemistry, pasting, and sensory properties, 971

oil
aqueous extraction from palm kernel, 491
dietary effects of frankfurters with added peanut, 497
effect of dietary supplementation on lipid composition and stability of broiler meat, 1457
effect of filtering through bleaching media on decrease of peroxide value of autoxidized soybean, 1601
effect of tomato paste on rheological properties and particle size distribution of water emulsions, 437
effects on membranal lipid stability and pork product quality, 1193
emulsion stability and sensory quality of beef franks with differing levels of peanut, 867
fuel: tainting and depuration of taint by lobster exposed to contaminated water: relationship with aromatic hydrocarbon content in tissue, 240
influence of spice on *A. parasiticus* growth and production of aflatoxins in synthetic medium, 74
lipase mediated production of flavor and fragrance esters from fusel, 1565
melon seed: stability of, 71
olive: bitter taste of: correlation of sensory evaluation and HPLC analysis, 68
properties of low fat frankfurters containing monounsaturated and omega-3 polyunsaturated, 500

oleoresins
effects of substrate densification and carbon dioxide conditions on supercritical extraction of mushroom, 135

oligosaccharides
effect of germination in navy and pinto beans, 1615

olive
bitter taste of oil: correlation of sensory evaluation and HPLC, 68

optimization
determination of retortable pouch heat transfer coefficients by, 1407
of carrot dehydration process using RSM, 714

orange
application of improved half-embryo test for detection of irradiation in, 1501
effect of storage temperature stability of juice and drink, 227
flavor evaluation and volatile flavor constituents of stored juice, 82
use of acidification, low temperature and sorbates for storage of juice, 674

organic probe analysis
starch/sucrose interaction by, 162

ovalbumin
properties of treated with oleic acid, 1639
rheology of heat-induced gels prepared by different heating methods, 1632
role of thermal denaturation-aggregation in determining rheological properties of heat induced networks for, 1624

oxalate
changes in content in fermentation of fish paste hentak, 754

oxidation
effects of dietary oils on membranal lipid stability and pork product quality, 1193
effect of extrusion on lipid, 1580
effect of meat grinder wear on lipids and myoglobin in pork sausage, 545
effect of phosphate with nitrite or maillard reaction products on warmed-over flavor in beef roasts, 1431
effect of storage levels of cholesterol products in dairy products, 874
factors relating to stability of broiler patties treated with Na tripolyphosphate, 1151
GC method for quantification of cholesterol products in egg yolk powder, 427
of lipid in pork and turkey stored under modified atmospheres, 846
pallet location and freezing rate effects on lipids and myoglobin in pork sausage, 549
stability of beef as affected by cooking temperature, 1072
stability of beef as affected by cooking temperature, storage and incorporation of surimi, 280

oxygen
design of modified atmosphere packaging systems: modeling concentrations within sealed packages of tomato, 1413
effect on storage of cauliflower, 122
effect on thermal degradation of 5-methyl-5,6,7,8-THFA, 146
influence on production of fumitremorgin by heat-resistant mold, 679
poststorage behavior of apple after storage under, 993

P

packaging
barrier properties and surface characteristics of edible bilayer films, 1393
design of modified atmosphere systems: modeling oxygen concentrations within sealed packages of tomato, 1413
determination of migrants from rubber gaskets of commercial aerosol valves used in, 485
determination of retortable pouch heat transfer coefficients by optimization method, 1407
edible films of lipids and cellulose ethers: barrier properties to moisture vapor transmission and structural evaluation, 1383
edible films of lipids and cellulose ethers: performance in model frozen-food system, 1390
effects of brine and CO_2 chilling systems on pork, 299
effects of gas atmosphere and storage on shelflife and sensory attributes of ground beef, 284
effect of materials on chemical composition of potatoes, 629
effects of K sorbate, Na acetate, phosphates and NaCl on shelf life of pork, 302
effect of storage temperature on stability of concentrated orange juice and drink, 227
effect of storage temperature, time, and method of slicing on microbial population and white film development on dry-cured ham, 871
effects on flavor stability of dry whole milk, 1222
effects on psychrotrophic growth on steak, 274
effect on quality of dill, 1485
evaluation of edible bilayer films for use as moisture barriers for food, 1400
extension of shelf life of catfish using modified atmospheric, 269
film sealant and vacuum effects on adhesion at sealant-meat interface in cook-in system for processed meat, 863
flavor evaluation and volatile flavor constituents of stored aseptic orange juice, 82
heating rates in flexible packages containing entrapped air during overpressure processing, 1417
identification of volatile compounds from glassine, 770
location of slowest heating zone for convection-heating fluids in metal containers, 205
microbiological, chemical, and physical changes in pork treated with organic acids and salts, 18
partitioning and flavor threshold interactions of food solvents in high-fat cookies, 173
phosphate and salt effects on shear strength of and film adhesion to processed meat from cook-in system, 1422
physicochemical and sensory characteristics of peach nectar stored in various materials, 401
stability of anthocyanins in apples stored unpackaged, under heat shrinkable wrap and in package modified atmosphere, 405
sterilization of conduction-heated foods in oval-shaped containers, 1327

palatability
of precooked beef roasts, 3

pallet
location effects on oxidation of lipids and myoglobin in pork sausage, 549

palm
aqueous extraction of oil from kernel, 491

paramyosin
effect of heating on gel properties of myosin systems, 481
interactions in gel formation of invertebrate muscle, 796

parasites
ultrasonic waves to detect sealworms in fish tissue, 244

particle size
effect on removal of bone chips from ground meat, 527

pastes
effect of UV irradiation on thermal gelation of muscle, 1438
properties of ogi from malted corn, 971

pasteurization
rheology of egg during frozen storage, 35

pathogenicity
of foodborne, environmental and clinical isolates of *Listeria monocytogenes* in mice, 1553

peas
green (*Pisum sativum*): changes in texture during freezing and frozen storage, 96; purification and characterization of peroxidase isoenzymes from, 644
properties of whey protein blends in model systems, 1287
southern (*V. unquiculata*): evaluation of marinated, 640

peaches
phenolic compounds of mesocarp during storage and ripening, 1259
physicochemical and sensory characteristics of nectar stored in various packaging materials, 401

peanuts
development of chocolate flavored beverage, 1359
dietary effects of frankfurters with added oil, 497
effect of maturity and curing temperature on flavor of, 1066
effect of maturity on roast color and flavor of, 475
emulsion stability and sensory quality of beef frankfurters with differing levels of oil, 867
nutritonal, microbiological, and sensory qualities of beverage, 1540
production of flour from microwave vacuum-dried, 187
quality characteristics and consumer acceptance of -based imitation cheese spread, 468

pear
postharvest physiology and quality maintenance of, 656

pecan
microbial, compositional, and other quality characteristics of stored frozen for 25 years, 472

pectin
cell wall solubilization in apricot, 990
effect of methyl ester content on heat degradation of chelator-soluble carrot, 1272
isolation and characterization of methylesterase from apple fruit, 653
transitions during blueberry development and ripening, 385

pectinase
recovery from UF apple juice, 412

peeler
recovery of protein and microorganisms from shrimp effluent, 1660

peptides
debittering mechanism in bitter of enzymatic hydrolysates from milk casein by aminopeptidase T, 1225

perch
texture changes of frozen stored, 824

peroxidase
method for vitamin C in fruits and vegetables using, 374
of kiwifruit, 760
purification and characterization of isoenzymes from green peas, 664
tomato: isolation and characterization, 1269

peroxidation
chilling injury in cucumbers associated with lipid as measured by ethane evolution, 1488
lipid protection factors in trout muscle cytosol, 809

peroxides
effect of filtering through bleaching media on decrease of value of autoxidized soybean oil, 1601

pH
deamidation and properties of food proteins by treatment with immobilized chymotrypsin at alkaline, 1345
gelation of trout: effect of, 805
effect on calcium, zinc, and phytate solubilities following digestion of soy protein isolate, 587
effect on color of ground beef patties, 1
effect on heat contracture of glycerinated single fibers of rabbit muscle, 1074
effect on formation of volatile compounds of garlic, 632
effect on kinetics of soybean lipoxygenase-1
effect on quality of chicken breast muscle, 1155
influence on myoglobin denaturation and color of beef, pork, and turkey, 536
molecular forces involved in gelation of plasma proteins at alkaline, 1202
WHC in beans: effect of, 1080

phase transition
kinetics of waxy corn starch at extrusion temperatures and moisture contents, 1298

phenol
effect of irradiation on potatoes, 982
of mesocarp of peaches during storage and ripening, 1259

phenoloxidase
effect of bisulfate on lobster shell, 478
from lobster: mode of activation and characterization, 63

phenylisothiocyanate
analysis of amino acids in soy isolate and navy beans using precolumn derivatization with, 756

phosphate
effects on shear strength and packaging film adhesion to processed meat from cook-in packaging system, 1422
effect on shelf life of vacuum packaged pork, 302
effect with nitrite or maillard reaction products on warmed-over flavor in beef roasts, 1431

phospholipid
effects of microwave heating and irradiation on content of soybean, 958
influence of content and fatty acid composition in muscle from bison, Hereford and Brahman steers, 521

physicochemistry
characteristics of pigeonpea and mung bean starches and noodle quality, 1293
of ovalbumin and lysozyme treated with oleic acid, 1639
of sucralose, 1646
parameters of protein additives and emulsifying properties, 1177

physiology
of pear and strawberry postharvest, 656

phytate
effect of pH on solubility following digestion of soy protein isolate, 587
effects of microwave heating and irradiation on content of soybean, 958
effect on solubility, activity, and conformation of trypsin and chymotrypsin, 695

pickles
cell wall characteristics of gamma-radiated cucumber, 1266

pickling
mutagenic flavonol aglycones in vegetables, 1492

pigeonpea (*Cajanus cajah L.*)
characteristics of starches and noodle quality, 1293
nutrient losses due to scarification of cotyledons, 974

pigment
effect on color of ground beef patties, 1
improvement in Holstein beef by dietary supplementation with vitamin E, 858

pineapple
calorimetric examination of metabolism, 1246

plasma proteins
evaluation of gelation and solubility of bovine isolates, 1381

pollack
effect of chemical additives on toughening of fillets, 1101
effect of mixing and moisture modification on toughening and dimethylamine formation in during frozen storage, 1524

polyamines
changes in scallop muscle during storage, 1133

polydextrose
sensory studies of sweetener systems for shortbread cookies with and without, 625

polydimethylsiloxane
evaluation of as noncaloric frying media, 1061

polymer
correlation of proton T_1 with in starch-sucrose mixtures, 691

polypeptides
fractionation of rice glutelin using gel filtration chromatography, 730

polyphenol
effect of fermentation by cultures of yeasts and *lactobacilli* on content of pearl millet, 780
effect on bioavailability of polysaccharides and other nutrients, 1332
oxidase: control of enzymatic browning in apple juice with inhibitors of, 997

polyphosphate
effects on cell numbers, enterotoxin A, and extracellular protein in *S. aureus* 196E, 1550

polysaccharides
calcium binding of microalgal, 1336
effect of germination in navy and pinto beans, 1615
effect of phytic acid and polyphenols on bioavailability of, 1332

pomace
direct use of apple in bakery products, 618

pork
analysis of aldehydes and ketones in headspace of fat, 1471
color and bind strength of: effect of Ca carbonate and Na alginate, 1466
composition of chops: effect of removing subcutaneous fat before cooking, 15
effects of brine and CO_2 chilling systems on vacuum packaged, 299
effects of dietary antioxidants and oxidized oils on membranal lipid stability and quality of, 1193
effect of dietary fiber on texture and cooking characteristics of restructured, 1190
effect of irradiation and post-irradiation cooking and storage on thiamin content of, 1461
effect of irradiation on antibotulinal efficacy of nitrite, 1313
effects of K sorbate, Na acetate, phosphates and NaCl on shelf life of vacuum packaged, 302
influence of pH, NaCl, Na tripolyphosphate and cooking temperature on myoglobin denaturation and color in, 536
lipid oxidation and sensory analysis of stored under modified atmospheres, 846
microbiological, chemical, and physical changes in treated with organic acids and salts, 18
oxidative effects of grinder wear on lipids and myoglobin in sausage, 545
pallet location and freezing rate effects on oxidation of lipids and myoglobin in sausage, 549
processing and sensory properties of bacon, 214
properties of pre-rigor: hot vs cold processing of cooked shoulder and hams, 307

replacement of NaCl by modified KCl in sausage: acceptability testing, 553
sodium retention in pre- and postrigor ground, 297

potassium
chloride: replacement of NaCl by modified in pork sausage: acceptability testing, 553
diffusion coefficients in potatoes, 985
sorbate: effect on shelf life of vacuum packaged pork, 302

potatoes
ascorbic acid and protein content in relation to tuber anatomy, 220
diffusion coefficients of glucose, potassium, and magnesium in Maine Russet Burbank and Maine Katahdin from 45 to 90°C, 985
effect of irradiation on discoloration, phenols and lipids of, 982
effect of packaging materials on chemical composition of, 629
effect of surface freezing on ascorbic acid retention in water blanched, 1090
enzymatic browning in, 362
reduction of glucose content in with glucose oxidase, 118
sweet: determination of starch mixed in kudzu starch by moisture sorption method, 487

poultry
influence of species on strength, deformability, and water retention in heat-set muscle gels, 1136
survival of *L. monocytogenes* on processed, 556
yields, color and composition of washed, kneaded and heated mechanically deboned, 561

powder
bioavailability of calcium from almond in rats, 146
chemical characterization of sardine meat produced by dehydration and defatting, 265
determination of fluoride in cocoa by ion-selective electrode, 1650
GC method for quantification of cholesterol oxidation products in egg yolk, 427

prawns (*Macrobrachium rosenbergii*)
muscle ultrastructural changes during iced storage, 1125

pressure
analysis of drop in extruder dies, 709
effects of high hydrostatic on strains of *Salmonella*, 1547
heating rates in flexible packages containing entrapped air during processing, 1417
low-temperature vacuum dehydration- approach for low- food drying, 1573

pretreatment
effect on composition and properties of whey protein concentrate, 25
effect of corn germ protein on quality of frankfurters, 1452

processing
aqueous extraction of oil from palm kernel, 491
characterization and utilization of wash water from clam plants as flavoring agents, 55
effects of brine and CO_2 chilling systems on pork, 299
effect of modified manufacturing parameters on quality of cheddar cheese made from ultrafiltered milk, 573
effect of soybean maturity on quality, 593
effect of temperature and storage time on nonfat dry milk proteins, 1218
effect on antinutrients in cowpeas, 1084
effect on clarity, proteins, and stability of apple juice, 660
effect on composition and mineral content of sea cucumbers, 567
effect on content of tannins in rapeseed meals, 1082
effect on fate of vitamins B_1, B_2, and C and on shelf-life of goat's milk, 30
effect on lipid stability in smoked whitefish, 52
effect on protein quality and amino acid bioavailability of commercial enteral product, 1024
estimation of iron availability from meals and beef: effect of, 1441
explosion puffing of fruits and vegetables, 772
film sealant and vacuum effects on adhesion at sealant-meat interface in cook-in packaging system for meat, 863
heating rates in flexible packages containing entrapped air during overpressure, 1417
impact of Na ascorbate and Na erythorbate on vitamin B_{12} of cured ham, 1473
of round pork bacon, 214
of wieners prepared from CO_2, brine and chilled beef, 277
optimization of dehydration in carrots using RSM, 714
parameters of chymosin extraction by ultrasound, 700
pectinase recovery from UF apple juice, 412
phosphate and salt effects on shear strength of and packaging film adhesion to meat from cook-in packaging system, 1422
production and size distribution of rice maltodextrins hydrolyzed from milled rice flour using heat-stable alpha-amylase, 190
properties of pre-rigor pork: hot vs cold, 307
properties of soybean-corn mixtures by low-cost extrusion, 1590
recovery of amino acids from seafood wastewater, 60
scanning calorimetric behavior of myosin and actin due to, 49
softening of canned apricots: chelation hypothesis, 86
thermal: analysis of TDT and Arrhenius methods forhandling process and kinetic data, 1322
thermal: effect of dried egg white on iron bioavailability, 154
thermal: for heterogeneous foods to be processed aseptically: comparison of process development methods, 198
thermal: for products with straight-line heating curves from data taken at other retort and initial temperatures, 1040
thermal: ingredient effects on inactivation of foot-and-mouth disease virus inmeat products, 1479
thermal: location of slowest heating zone for convection-heating fluids in metal containers, 205
thermal: sterilization of conduction-heated foods in oval-shaped containers, 1327
volatile flavor components in crayfish waste, 1515
yields and composition of white sturgeon, 216

protease
soybean inhibitors in foods, 606

protein
acid inactivation of soybean lipoxygenase with retention of solubility, 963
binding of alcohols by soy, 1604
binding of vanillin by fababean, 105
changes in solubility and gelation properties of chicken myofibrils during storage, 1141
characterization of water soluble egg yolk with IEP, 764
characteristics of weiner-type products substituted with native and acid-hydrolyzed oat isolates, 1450
comparison of creep phenomena in food gels, 170
content of potatoes in relation to tuber anatomy, 220
deamidation and properties of food by treatment with chymotrypsin, 1345
denaturation in hard-to-cook beans, 1284
desmin and actinin degradation in bovine muscle, 1426
effects of collagen and alkaline phosphate on solubility of fine-cut meat systems, 541
effect of concentration on gel strength and water loss of muscle gels, 850
effect of extraction conditions on extractability of winged bean, 1656
effect of fruit storage and processing on apple juice, 660
effect of lysozyme, clupeine, and sucrose on foaming properties of whey isolate and β-lactoglobulin, 743
effect of myo-inositol phosphate esters on digestion of, 1348
effect of pH on Ca, Zn and phytate solubilities following digestion of soy isolate, 587
effect of polyphosphates on extracellular in *S. aureus* 196E, 1550
effect of pretreatment of corn germ on quality of frankfurters, 1452
effect of processing temperature and storage time on nonfat dry milk, 1218
effect of proteolysis on allergenicity of whey, 1037
effect of storage, carbohydrate composition, and heat processing on quality of commercial enteral product, 1024
effect of whey pretreatment on composition and properties of whey concentrate, 25
emulsifying properties of food: development of standardized emulsification method, 39
enrichment of sugar-snap cookies with sunflower isolate, 354
electronic imaging system for determining droplet size and dynamic breakdown of stabilized emulsions, 440
evaluation of gelation and solubility of bovine plasma isolates, 1381
gel electrophoresis of changes in ground beef stored at 2°C, 287
hard-to-cook beans: changes in electrophoretic patterns during storage, 1367
physicochemical parameters of additives and emulsifying properties, 1177
plasma: molecular forces involved in gelation of at alkaline pH, 1202
preparation and properties of acid-modified sunflower isolate, 357
properties of enzymatically deamidated soy, 598
properties of linseed products with different levels of mucilage, 183
properties of whey-pea blends in model system, 1287
recovery of from shrimp peeler effluent, 1660
role of thermal denaturation-aggregation relationship in determining the rheological properties of heat induced networks for ovalbumin and vicilin, 1624
scanning calorimetric behavior of myosin and actin due to purification of, 49
sensory evaluation of binding of vanillin by fababeans, 324
separation of cod by electrophorsis and HPLC after frozen storage, 827
solubility, emulsifying and foaming properties of rice bran concentrates, 142
soy in milk replacers identified by immunoblotting, 766
structure-digestibility relationship of legume 7S, 108
texture changes on heating spray-dried egg white, 1206
thermal aggregation of soybean sulfur-rich, 319

proteinase
growth conditions affecting production by *P. fragi*, 686

proteolysis
activity of surimi from whiting and heat-set gel texture, 1116
effects on allergenicity of whey proteins, 1037

proton T_1
correlation with polymer and solute waters in starch-sucrose mixtures, 691

provitamin D_3
conversion to vitamin D_3 by UV rays in fish muscle, 1070

Pseudomonas fragi
effect of agents on attachment of to stainless steel, 461

Pseudomonas fragi ATCC 4973
growth conditions affecting proteolytic enzyme and vesicle production by, 686

Pseudomonas gladioli
bioconversion of limonene by, 1241

psychotrophs
effects of gas atmosphere packaging on growth on steak, 274

public health
ingredient effects on thermal inactivation of foot-and-mouth disease virus in meat products, 1479
pathogenicity of foodborne, environmental and clinical isolates of *L. monocytogenes* in mice, 1553

puffing
of fruits and vegetables, 772
of rice cakes as influenced by tempering and heating conditions, 1310

purification
of peroxidase isoenzymes from green peas, 644
scanning calorimetric behavior of myosin and actin due to protein, 49

pyrazine
kinetics of formation in amino acid-glucose systems, 1611

Q

quality
changes in tomatoes and resistance to *Alternaria* infection as influenced by varying storage temperature, 376
characteristics of pigeonpea and mung bean starches and noodles, 1293
characteristics of turkey with variable alginate/Ca-lactate ratios, 558
effects of dietary antioxidants and oxidized oils on membranal lipid stability and pork, 1192
effect of drying method, packaging, and storage temperature and time on dill, 1485
effect of modified manufacturing parameters on cheddar cheese made from UF milk, 573
effect of muscle pH and Ca content on chicken breast muscle, 1155
effect of pre-chill removal of kidney fat on bull carcass and muscle tenderness, 1434
effect of pre-chilling, freezing rate, and storage time on beef patties, 532
effect of pretreatment of corn grem protein on frankfurters, 1452
effect of soybean maturity on storage and process, 593
effect of storage, carbohydrate composition, and heat processing on protein of commercial enteral product, 1024
effects of storage temperature, humidity and duration on ostrich fern, 132
influence of irrigation on almond kernels, 1642
maintenance of pear and strawberry, 656
molecular cut-off of UF membranes and apple juice, 1250
of akara prepared from germinated tepary beans, 114
of beef as affected by cooking temperature, storage and incorporation of surimi, 280
of beef frankfurters with different fat or peanut oil levels, 867
of irradiated spices, 489
of peanut beverage, 1540
of pecans stored frozen for 25 years, 472
time-temperature indicators as monitors under nonisothermal conditions, 789

R

rabbit
effect of pH and ATP on muscle, 1074

radiation
effect on cholesterol in aqueous dispersion, 1569
cell wall characteristics of cucumber pickles, 1266
effects of heat transfer by on browning of cookies at baking, 621

radiolabelling
study of heat-induced interactions between lactalbumin, lactoglobulin and casein in milk and buffer, 889

rancidity
protection of menhaden mince lipids from during frozen storage, 1120

rapeseed
effect of processing on tannins in meals, 1082

rats
bioavailability of Ca from sesame seeds, almond powder, whole wheat bread, spinach and nonfat dry milk in, 146

resin, osmotic pressure
chemical characterization of sardine meat powder produced by dehydration with, 265

resistance
to tear: instrumental measure of cohesive properties of muscle food products, 750

retort(s)
determination of pouch heat transfer coefficients by optimization method, 1407
establishing thermal processes for products with straight-line heating curves from data taken at other initial temperatures, 1050
heating rates in flexible packages containing entrapped air during overpressure processing, 1417

response surface methodology (RSM)
optimization of dehydration in carrots using, 714

rheology
changes during slow acid induced gelation of milk by D-glucono-lactone, 894
comparison of creep phenomena in food protein gels, 170
effect of tomato paste on in model oil-in-water emulsions, 437
gelation of trout: effect of pH, NaCl and setting, 805
molecular forces involved in gelation of plasma proteins at alkaline ph, 1202
of heat-induced ovalbumin gels prepared by two-step and one-step heating methods, 1632
of pasteurized egg during frozen storage, 35
role of thermal denaturation-aggregation in determining properties of heat induced ntworks for ovalbumin and vicilin, 1624
water activity and mobility in sweetened whole soy concentrates, 931

rheometer
evaluation of helical screw as on-line viscometer, 483

riboflavin
effect of processing and storage on fate of in goat's milk, 30

rice
fractionation of glutelin polypeptides using gel filtration chromatography, 730
production and size distribution of maltodextrins hydrolyzed from flour, 190
puffing of cakes as influenced by tempering and heating conditions, 1310
sensory and chemical examination of aromatic and nonaromatic, 343
solubility, emulsifying and foaming properties of bran protein concentrates, 142

rigor-mortis
temporary dependency of fish muscle: myofibrillar Mg-ATPase activity and Ca uptake by sarcoplasmic reticulum, 1107

ripeness
APIZYM testing system to assess banana, 1379

ripening
evolution of free amino acids during of cheddar cheese containing added *Lactobacilli* strains, 885
HPLC separation of bitter and astringent fractions from cheddar cheese made with added *Lactobacillus* to accelerate, 1234
pectin transitions during blueberry, 385
phenolic compounds of mesocarp f peaches during, 1259

Rosa sp. (*rosa canina/rosa rugosa*)
determination of carotenoids in, 774

rubber
determination of migrants from gaskets of commercial aerosol valves used in food packaging, 465

S

sausage(s)
fate of *C. sporogenes* in fish formulations with adjusted water activity using food binders, 1129
oxidative effects of grinder wear on lipids and myoglobin in pork, 545
pallet location and freezing rate effects on oxidation of lipids and myoglobin in pork, 549
replacement of NaCl by modified KCl in pork: acceptability testing, 553

safrole
measurement in ham, 1475

sago palm
structures and properties of starches with low and high viscosities on amylography, 177

salad
directly acidified carrot slices for ingredients in refrigerated vegetables, 90

Salmonella
effects of high hydrostatic pressure on heat-resistant and heat-sensitive strains of, 1547
inactivation in liquid whole egg by thermoradiation, 902

Salmonella typhimurium
effect of electrical charge on attachment of to meat surfaces, 516

salt
chemical, textural and sensory characteristics of lamb as influenced by level of, 1198
effect of chemical, textural and sensory characteristics of chuck, 843
effects on shear strength of and packaging film adhesion to processed meat from cook-in packaging system, 1422

microbiological, chemical, and physical changes in pork treated with, 18
properties of egg yolk in mayonnaise, 210
softening effects of monovalent cations in acidified cucumber tissue, 366
water activity- concentration models for solutions of, 1318

sanitation
of steaks with chlorine dioxide generating binary systems, 7

sardin
chemical characterization of meat powder produced by dehydration and defatting, 265

sarcoplasmic reticulum
temperature-dependency of rigor-mortis of fish muscle: uptake of Ca by, 1107

sardin
thermal activation of Mg-ATPases from ordinary and dark muscles of, 1521

scallop
changes in polyamines and amino acids in muscle during storage, 1133

scarification
nutrient losses due to, of pigeonpea cotyledons, 974

sea cucumbers (*Parastichopus* spp.)
effect of processing on composition and mineral content of, 567

seafood
biochemical characterization of collagen in fractions of carp and mackerel muscle, 1511
changes in oxalate content in fermentation of paste hentak, 754
changes in polyamines and amino acids in scallop adductor muscle during storage, 1133
characterization and utilization of dehydrated wash waters from clam processing plants as flavoring agents, 55
chemical characterization of sardine meat powder produced by dehydration and defatting, 265
cholesterol and fatty acids in species of shrimp, 237
composition and fatty acid and cholesterol content of squid, 45
conversion of provitamin D_3 to vitamin D_3 by UV rays in fish dark muscle mince, 1070
contribution of tropomyosin to fish muscle gel characteristics, 258
denaturation of cod myosin during freezing after modification with formaldehyde, 814
distribution of lipid classes and EPA and DHA in different sites in blue mackerel, 569
effect of bisulfite on lobster shell phenoloxidase, 478
effect of chemical additives on toughening of fillets of pollack, 1101
effect of mixing and moisture modification on toughening and dimethylamine formation in pollock during frozen storage, 1524
effect of processing on composition and mineral content of sea cucumbers, 567
effect of processing on lipid stability in smoked whitefish, 52
electrophoretic identification of fish species used in surimi products, 253
electrophoretic patterns of gadoid and nongadoid muscle during frozen storage, 819
extension of shelf life of catfish using modified atmospheric packaging and irradiation, 269
F-actin in thermal gelation of actomyosin, 800
fate of *C. sporogenes* in fish sausage formulations with adjusted water activity using food binders, 1129
gelation of trout: effect of pH, NaCl and setting, 805
lipid peroxidation protection factors in trout muscle cytosol, 809
muscle ultrastructural changes in prawns during iced storage, 1125
phenoloxidase from lobster: mode of activation and characterization, 63
procedures for washing of whiting for surimi production, 248
processing yields and composition of white sturgeon, 216
protection of menhaden mince lipids from rancidity during frozen storage, 1120
proteolytic activity of surimi from whiting and heat-set gel texture, 1116
microbiological studies of the cause of discoloration of dolphin, 835
recovery of protein and microorganisms from shrimp peeler effluent, 1660
scanning calorimetric behavior of tilapia myosin and actin due to processing of muscle and protein purification, 49
separation of cod proteins by electrophoresis and HPLC after frozen storage, 827
species identification of shrimp by urea gel IEF, 233
spoilage potential of contaminant bacteria from mackerel, 1111
tainting and depuration of taint by lobsters exposed to water contaminated with fuel oil: relationship with aromatic hydrocarbon content in tissue, 240
temperature-dependency of rigor-mortis of fish muscle: myofibriller Mg-ATPase activity and Ca uptake by sarcoplasmic reticulum, 1107
texture changes of frozen stored cod and perch minces, 824
texture of mechanically and cryogenically frozen crayfish, 564
thermal activation of actomyosin Mg-ATPase from muscles of tuna and sardine, 1521
total sterols in: TLC/FTD vs GLC/FID method, 793
ultrasonic waves to detect sealworms in fish tissue, 244
volatile flavor components in crayfish waste, 1515

sealant
effects on adhesion at meat interface in cook-in packaging system for processed meat, 863

sealworms
ultrasonic waves to detect in fish tissue, 244

sensory evaluation
acetone extracted cottonseed meals without catty odors, 1088
bitter taste of olive oil: correlation with HPLC analysis, 68
canning-induced fruit softening and cell wall pectin solubilization in apricot, 990
canonical variate and principal component analysis of wine descriptive analysis data, 1355
changes in texture of green peas during freezing and frozen storage, 96
characteristics of pecans stored frozen for 25 years, 472
chemical characterization of sardine meat powder produced by dehydration and defatting, 265
comparison of single and concurrent evaluation of attributes, 1098
development of chocolate flavored peanut beverage, 1359
development of syrups from cheese whey ultrafiltration permeate and utilization in ice cream, 880
direct use of apple pomace in bakery products, 618
directly-acidified carrot slices for ingredients in refrigerated vegetable salads, 90
effect of atmospheres on storage of cauliflower, 122
effect of brine and CO_2 chilling systems on pork, 299
effects of drying method, packaging, and storage temperature and time on quality of dill, 1485
effects of freezing rate, frozen storage temperature and time on tenderness values of beef, 291
effects of heat transfer by radiation and convection on browning of cookies at baking, 621
effects of gas atmosphere, storage temperature and time on ground beef, 284
effect of maturity on roast color and flavor of peanuts, 475
effect of pH and pigment concentration on color of ground beef patties, 1
effects of packaging conditions on flavor stability of dry whole milk, 1222
effects of phosphate with nitrite or Maillard reaction products on warmed-over flavor in beef roasts, 1431
effect of pre-chill removal of kidney fat on bull carcass quality and muscle tenderness, 1434
effects of pre-chilling, freezing rate, and storage time on beef patty quality, 532
effect of pretreatment of corn germ protein on quality of frankfurters, 1452
effects of Na tripolyphosphate on physical, chemical and textural properties of frankfurters, 505
effect of storage temperature on stability of aseptically packaged concentrated orange juice and drink, 227
effect of tempeh on properties of hams, 1186
effect of tenderization, vacuum massage time and salt level on chuck, 843
evaluation of venison color by method using CIELAB values, 1661
factors influencing stability of frozen Kiwifruit pulp, 396
flavor, aroma, and compositional changes in strawberry juice concentrate, 1255
flavor evaluation and volatile flavor constituents of stored orange juice, 82
four methods for assessing cooked dry bean flavor, 1278
histamine and tyramine in preserved and semi-preserved fish products, 1653
improved tenderness of steaks by microbial collagenase from *Vibrio*, 855
influence of phospholipid content and fatty acid composition of phospholipids in muscle from bison, Hereford and Brahman steers on flavor, 521
interaction of maturity and curing temperature on flavor of peanuts, 1066
kinetics of color change of grape juice generated using linearly increasing temperature, 776
odor components of human breath after ingestion of raw garlic, 763
of akara prepared from germinated tepary beans, 114
of aromatic and nonaromtic rices, 343
of baked foods with different levels of DDGS from wheat, 337
of binding of vanillin by fababean proteins, 324
of beef frankfurters with different fat or peanut oil levels, 867
of high potency multiple sweetener systems for shortbread cookies with and without polydextrose, 625
of lamb as influenced by grinding, salt, and vacuum massage time, 1198
of low calorie fiber bar, 727
of marinated southern peas, 640
of peach nectar stored in various packaging materials, 401
of peanut beverage, 1540
of pork and turkey stored under modified atmospheres, 846
of round pork bacon, 214
of pre-rigor pork: hot vs cold processing of cooked shoulder and hams, 307
of veal, 1444
of wieners prepared from CO_2, brine and chilled beef, 277
objectionable flavor of soy milk developed during soaking of soybeans and its control, 602
oxidative stability and textural quality of beef as affected by cooking temperature, storage and incorporation of surimi, 280
palatability and storage characteristics of beef roasts, 3
partitioning and flavor threshold interactions of food packaging solvents in high-fat cookies, 173

postharvest physiology and quality maintenance of pear and strawberry, 656
poststorage behavior of apple fruit after low oxygen storage as influenced by temperatures during storage and in transit, 993
production of peanut flour from microwave vacuum-dried peanuts, 187
properties of low fat frankfurters containing monounsaturated and omega-3 polyunsaturated oils, 500
properties of ogi from malted corn, 971
protein enrichment of sugar-snap cookies with sunflower protein isolate, 354
quality characteristics and consumer acceptance of peanut-based cheese spread, 468
quality characteristics of turkey meat with variable alginate/Ca-lactate ratios, 558
replacement of NaCl by modified KCl in pork sausage: acceptability testing using signal detection measures, 553
uracil as indicator of spoilage in egg products, 581
use of Na bicarbonate and increased liquid levels in baked products containing sour mash DDGS, 1507

sesame
bioavailability of Ca from seeds in rats, 146

setting
gelation of trout: effect of, 805

shear
phosphate and salt effects on strength of and packaging film adhesion to processed meat from cook-in packaging systems, 1422

shrimp
cholesterol and fatty acids in, 237
recovery of protein and microorganisms from peeler effluent, 1660
species identification of by urea gel IEF, 233

signal detection
replacement of NACl by modified KCl in pork sausage: acceptability testing using, 553

slicing
effect on microbial population and white film development in vacuum packaged, dry-cured ham, 871

slurries
statistical patterns of lipase activities on release of short-chain fatty acids in cheddar cheese, 1559

soaking
effect on cooking time of African yam bean, 758
objectionable flavor of soy milk developed during soybeans, 602

sodium
retention in pre- and postrigor ground pork, 297
^{23}Na: NMR relaxation studies of the NaCl/lactoglobulin system equilibrated at various water activities, 909

sodium acetate
effect on shelf life of vacuum packaged pork, 302

sodium alginate
effect on color and bind strength of pork, 1466

sodium ascorbate
impact in vitamin B_{12} of cured ham, 1473

sodium bicarbonate
use in baked products containing sour mash DDGS, 1507

sodium chloride
effect on shelf life of vacuum packaged pork, 302
gelation of trout: effect of, 805

sodium erythorbate
impact on vitamin B_{12} of cured ham, 1473
influence on myoglobin denaturation and color of beef, pork, and turkey, 536
influence on strength, deformability, and water retention in heat-set muscle gels, 1136
NMR relaxation studies of lactoglobulin system equilibrated at various water activities, 909
replacement by modified KCl in pork sausage: acceptability testing, 553

sodium tripolyphosphate
effect on physical, chemical and textural properties of frankfurters, 505
factors relating to oxidative stability of broiler patties treated with, 1151
influence of myoglobin denaturation and color of beef, pork, and turkey, 536

softening
canning induced and cell wall pectin solubilization in apricot, 990
of canned apricots: chelation hypothesis, 86
effect of delayed cooling on poststorage firmness of apples, 493
effects of monovalent cations in acidified cucumber tissue, 366

solids
predicting soluble extraction from fruits in single screw counter current diffusion extractor, 1261

solubility
acid inactivation of soybean lipoxygenase with retention of protein, 963
changes in properties of chicken myofibrils during storage, 1141
effects of collagen and alkaline phosphate on protein of fine-cut meat systems, 541
effect of pH on Ca, Zn and phytate following digestion of soy protein isolate, 587
effect of phytate on trypsin and chymotrypsin, 695
evaluation of bovine plasma protein isolates, 1381
or rice bran protein concentrates, 142

solvent(s)
stability of melon seed oil obtained by extraction, 71
partitioning and flavor threshold interactions of food packaging in high fat cookies, 173

sorbates
use for storage of orange juice, 674

sorghum
changes in during nixtamalization and tortilla baking, 330

sour mash
use of Na bicarbonate and increased liquid levels in baked products containing DDGS, 1507

soy
analysis of amino acids in using precolumn derivatization with phenylisothiocyanate and RP-HPLC, 756
binding of alcohols by protein, 1604
effects of freezing rate and storage on tenderness of beef, 291
objectionable flavor of milk developed during soaking of beans, 602
properties of enzymatically deamidated proteins, 598
protein isolate: effect of pH on Ca, Zn and phytate solubilities following digestin of
proteins in milk replacers identified by immunoblotting, 766
water activity and mobility in sweetened whole concentrates and rheological properties, 931

soybean(s)
acid inactivation of lipoxygenase with retention of protein solubility, 963
effect of filtering through bleaching media on decrease of peroxide value of autoxidized oil, 1601
effect of maturity on storage stability and process quality, 593
effect of microwave energy on tocopherols of, 1596
effects of microwave heating and irradiation on phytate and phospholipid contents of, 958
effect of pH on kinetics of lipoxygenase-1, 1594
n-hexanol formation from n-hexanal by enzyme action in extracts, 1607
properties of corn mixtures processed by low-cost extrusion, 1590
protease inhibitors in foods, 606
thermal aggregation of sulfur-rich protein, 319

spectrophotometry, near infrared
of soluble solids in cantaloupe, 393

spectroscopy, near infrared reflectance
compositional analysis of cocoa products by, 768

spice(s)
influence of essential oils on *A. parasiticus* growth and production of aflatoxins in synthetic medium, 74
microbiological quality of irradiated, 489

spinach
bioavailability of calcium from in rats, 146

spoilage
by butyric acid in fermented cucumbers, 636
heat resistance of *E. herbariorum*, a xerophilic mold, 683
influence of oxygen on fumitremorgin production by heat-resistant mold, 679
potential of contaminant bacteria from mackerel, 1111
uracil as indicator of in egg products, 581

squid (*Loligo pealei/Illex illecebrosus*)
composition and fatty acid and cholesterol content of, 45

stability
effects of collagen and alkaline phosphate on emulsion in fine-cut meat systems, 541
effects of dietary antioxidants and oxidized oils on membranal lipids and pork product quality, 1193
effect of dietary oils and tocopherol supplementation on broiler meat, 1457
effect of fruit storage and processing on apple juice, 660
effects of packaging on flavor of dry whole milk, 1222
effect of processing on lipid in smoked whitefish, 52
effect of soybean maturity on storage and process quality, 593
effect of storage temperature on orange juice and drink, 227
factors influencing frozen kiwifruit pulp, 396
factors relating to oxidation of broiler patties treated with NaTPP, 1151

improvement of lipid in Holstein beef by dietary supplementation with vitamin E, 858
molecular cut-off of UF membranes and quality of apple juice, 1250
of acid phosphatase activity in cured/canned picnic samples stored frozen, 752
of allicin in garlic juice, 977
of anthocyanins in apples stored unpackaged, under heat shrinkable wrap and in package modified atmosphere, 405
of beef as affected by cooking temperature, 1072
of beef as affected by cooking temperature, storage and incorporation of surimi, 280
of cathepsin D, 1651
of cream liqueurs containing low molecular weight surfactants, 77
of emulsion of beef frankfurters with different fat or peanut oil levels, 867
of melon seed oil obtained by solvent extraction, 71

stabilization
of lactase by milk components, 899

stainless steel
effect of agents on attachment of *P. fragi* to, 461

Staphylococcus aureus
effect of sucrose and heating temperature on thermal resistance of MF-31, 936
effects of polyphosphates on cell numbers, enterotoxin A, and extracellular protein in 196E, 1550

starch
characteristics of pigeonpea and mung bean, 1293
correlation of proton T_1 with polymer and solute in sucrose mixtures, 691
determination of sweet potato mixed in kudzu by moisture sorption method, 487
effect of sugars on water diffusivity in hydrated granular, 1496
gelatinization in hard-to-cook beans, 1284
kinetics of phase transition of corn at extrusion temperatures and moisture contents, 1298
properties of sago with low and high viscosities on amylography, 177
sucrose interactions by organic probe analysis: inverse GC study, 162

statistics
patterns of lipase activities on release of short-chain fatty acids in cheddar cheese slurries, 1559

steam
integral method analysis of infusion heating of free falling film, 734

stearate
effect of ionizing radiation on cholesterol in aqueous dispersion, 1569

sterilization
effect of ultrasonic vibration on fluid-to-particle convective heat transfer coefficients, 229
of conduction-heated foods in oval-shaped containers, 1327
of particulate solids in continuously flowing system, 1017

sterols
in seafoods: TLC/FID vs GLC/FIC method, 793

storage
applicability of time-temperature indicators as monitors of food products, 783
behavior of apple after low oxygen as influenced by temperatures during and in transit, 993
butyric acid spoilage of fermented cucumbers, 636
changes in polyamines and amino acids in scallop mucle during, 1133
changes in protein solubility and gelation properties of chicken myofibrils during, 1141
changes in texture of green peas during frozen, 96
characteristics of precooked beef roasts, 3
chilling injury in cucumbers associated with lipid peroxidation as measured by ethane evolution, 1488
comparison of ferric glycinate to ferrous sulfate in model infant formulas: kinetics of TBA, lysine and methionine changes, 1230
edible film of lipid and cellulose ethers: performance in model frozen food system, 1390
effect of conditions on fate of vitamins B_1, B_2 and C on shelf-life of goat's milk, 30
effect of controlled atmospheres on cauliflower, 122
effect of delayed cooling on firmness of apples, 493
effects of dietary antioxidants and oxidized oil on membranal lipid stability and pork product quality, 1193
effect of extrusion of lipid oxidation, 1580
effect of mixing and moisture modification on toughening and dimethylamine formation in pollock during frozen, 1524
effect of packaging materials on chemical composition of potatoes, 629
effect of pretreatment of corn germ protein on quality of frankfurters, 1452
effect of K-sorbate, Na-acetate, phosphates and NaCl on shelf life of vacuum packaged pork, 302
effect of soybean maturity on stability and process quality, 593
effect of temperature and time on microbial population and white film development in vacuum packaged, dry-cured ham, 871
effect of temperature and time on quality of dill, 1485
effects of temperature, humidity and duration on ostrich fern quality, 132
effect of temperature on stability of orange juice and drink, 227
effects of temperature and time on tenderness of beef, 291
effect on beef patty quality, 532
effect on clarity, proteins, and stability of apple juice, 660
effects of dietary oils and tocopherol supplementation on lipid composition and stability of broiler meat, 1457
effects of gas atmosphere packaging on psychrotrophic growth on steak, 274
effect of levels of cholesterol oxidation products in dairy products, 874
effect of nonfat dry milk proteins, 1218
effect of protein quality and amino acid bioavailability of commercial enteral product, 1024
effect of shelflife and sensory attributes of ground beef, 284
effect on thiamin content of pork, 1461
effect on water content and water activity of beans, 1373
electrophoretic patterns of gadoid and nongadoid fish muscle during, 819
extension of shelf life of catfish using modified atmospheric packaging and irradiation, 269
factors influencing stability of frozen kiwifruit pulp, 396
factors relating to oxidative stability of broiler patties treated with NaTPP, 1151
flavor, aroma, and compositional changes in strawberry concentrate, 1255
flavor evaluation and volatile flavor constituents of aseptically packaged orange juice, 82
gel electrophoresis of protein changes in ground beef at 2°C, 287
hard-to-cook beans: changes in protein electrophoresis patterns during, 1367
induced changes of phenolic acids and development of hard-to-cook in dry beans, 311
influence of irrigation on keeping quality of almond kernels, 1642
lipid oxidation and sensory analysis of pork and turkey under modified atmospheres, 846
microbial, compositional, and other quality characteristics of pecans frozen for 25 years, 472
muscle ultrastructural changes in prawns during, 1125
nonenzymic browning in kiwifruit juice concentrate during, 669
oxidative effects of meat grinder wear on lipids and myoglobin in pork sausage, 545
pallet location and freezing rate effects on oxidation of lipids and myoglobin in pork sausage, 549
oxidative stability and texture of beef as affected by, 280
oxidative stability of beef as affected by cooking temperature, 1072
phenolic compounds of mesocarp of peaches during, 1259
physicochemical and sensory characteristics of peach nectar in various materials, 401
postharvest physiology and quality maintenance of pear and strawberry, 656
postmortem degradation of titin and nebulin of beef steaks varying in tenderness, 750
properties of salted egg yolk in mayonnaise, 210
production of peanut flour from microwave vacuum-dried peanuts, 187
protection of menhaden mince lipids from rancidity during, 1120
quality changes in tomatoes and resistance to *Alternaria* as influenced by, 376
rheology of pasteurized egg during frozen, 35
sanitation of steaks with chlorine dioxide generating binary systems, 7
separation of cod proteins by HPLC and electrophoresis after, 827
shelf-life of algin/calcium restructured turkey products held under aerobic and anaerobic conditions, 1147
stability of acid phosphatase activity in cured/canned picnic samples, 752
stability of anthocyanins in apples unpackaged, under heat shrinkable wrap and in package modified atmosphere, 405
stability of cream liqueurs containing low molecular weight surfactants, 77
stability of melon seed oil obtained by solvent extraction, 71
survival of *L. monocytogenes* on processed poultry, 556
texture changes of cod and perch, 824
time-temperature indicators as food quality monitors under nonisothermal conditions, 789
use of calcification, low temperature and sorbates for orange juice, 674

strain
mathematical characterization of -stress relationships of spongy baked goods, 947

strawberries
development of tissue culture system from immature, 388
flavor, aroma, and compositional changes in juice concentrate, 1255
postharvest physiology and quality maintenance of, 656

strength
influence of chicken muscle myosin on heat-induced gels, 1158
influence of poultry species, muscle groups, and NaCl on in heat-set muscle gels, 1136

stress
mathematical characterization of -strain relationships of spongy baked goods, 947
model for characterization of relaxation of agar and alginate gels, 1013

stress relaxation
determination of cross-link density in egg white gels from, 218

streptococcus thermophilus
effect of water activity of milk on acid production by, 917
interaction of antibiotics and water activity on, 922

sturgeon, white (*Acipenser transmontanus*)
processing yields and composition of, 216

sucralose
properties of sweetener, 1646

sucrose
correlation of proton T_1 with polymer and solute in starch mixtures, 691
effect on foaming properties of whey protein isolate and β-lactoglobulin, 743
effects on texture of canned beans, 315
effect on thermal resistance of *S. aureus*, 936
starch interactions by organic probe analysis: inverse GC study, 162

sugar
effect on water diffusivity in hydrated granular starches, 1496
protein enrichment of snap cookies with sunflower protein isolate, 354
water activity: concentration models for solutions of, 1318

sulfur
thermal aggregation of -rich protein in soybean, 319

sunflower
preparation and properties of acid-modified protein isolate, 357
protein enrichment of sugar-snap cookies with protein isolate, 354

supplementation
effect of dietary oils and tocopherol on lipid composition and stability of broiler meat, 1457
fermentabilities of fiber, 347
vitamin E: improvement of pigment and lipid stability in Holstein beef, 858
with vitamin E of Holstein steers improves steak color, 485

surface properties
characterization of materials targeted for food contact, 224

surfactants
stability of cream liqueurs containing low molecular weight, 77

surimi
chemical characterization of sardine meat powder produced by dehydration and defatting, 265
electrophoretic identification of fish species used in, 253
oxidative stability and texture of beef as affected by incorporation of, 280
procedures for washing of whiting for, 248
proteolytic activity from whiting and heat-set gel texture, 1116
scanning calorimetric behavior of tilapia myosin and actin due to processing of muscle and protein purification, 49

sweetener
properties of sucralose, 1646
sensory studies of systems for shortbread cookies with and without polydextrose, 625

syrup
development from cheese whey ultrafiltration permeate and utilization in ice cream, 880

T

tainting
by lobsters exposed to fuel oil contaminated water: relationship with aromatic hydrocarbon content in tissue, 240

tannins
effect of processing on content of in rapeseed meals, 1082

taste
bitterness of olive oil: correlation of sensory evaluation and HPLC analysis, 68
See also sensory evaluation

tearing
resistance: instrumental measure of cohesive properties of muscle food products, 750

tempeh
chemical and antinutritonal components during preparation using beans, 968
chemical and nutritional characterization of lupine, 102
effect on properties of hams, 1186

temperature
asymmetry in loin of bovine carcass, 11
dependence of isosteric heats of water sorption in dehydrated foods, 1620
dependency of rigor-mortis of fish muscle: myofibrillar Mg-ATPase activity and Ca uptake by sarcoplasmic reticulum, 1107
determination of kinetic parameters using linearly increasing, 446
drying of agar gel sphere in desiccated cold air flow, 416
effect of curing on flavor of peanuts, 1066
effect of processing on nonfat dry milk proteins, 1218
effect of storage on quality of dill, 1485
effect of storage on stability of orange juice and drink, 227
effects of storage on tenderness of beef, 291
effect on microbial population and white film development in vacuum packaged, dry-cured ham, 871
effect on removal of bone chips from ground meat, 527
effect on shelflife and sensory attributes of ground beef, 284
effects of storage on ostrich fern quality, 132
effect on thermal resistance of *S. aureus*, 936
establishing thermal processes for products with straight-line heating curves from data taken at other initial, 1040
inactivation of *L. monocytogenes* in medium as affected by incubation, 650
indicators as food quality monitors under nonisothermal conditions, 789
indicators as shelf life monitors of food products, 783
influence of cooking on myoglobin denaturation and color of beef, pork, and turkey, 536
kinetics of color change of grape juice generated using linearly increasing, 776
kinetics of phase transition of corn starch at differing extrusion, 1298
low- vacuum dehydration-approach for food drying, 1573
oxidative stability and texture of beef as affected by cooking, 280
oxidative stability of beef as affected by cooking, 1072
poststorage behavior of apple after low oxygen storage as influenced by, 993
quality changes in tomatoes and resistance to *Alternaria* as influenced by storage, 376
thermophysical properties of apple juice as function of, 663
use of low for storage of orange juice, 674

tempering
puffing of rice cakes as influenced by, 1310

tenderization
effect on chemical, textural and sensory characteristics of chuck, 843

tenderizers
organic acids for restructured beef collagen, 1173

tenderness
degradation of titin and nebulin in beef steaks varying in, 748
effects of freezing rate and storage on beef, 291
effects of pre-chill removal of kidney fat on muscle, 1434
of steaks improved by microbial collagenase from *Vibrio*, 855

texture
changes in green peas during freezing and frozen storage, 96
changes of frozen stored cod and perch minces, 824
changes on heating spray-dried egg white, 1206
effects of Ca, sucrose and aging on of canned beans, 315
effect of dietary fiber on pork, 1190
effects of Na-TPP on frankfurters, 505
effect of tenderization, vacuum massage time and salt level on chuck, 843
influence of acidification on canned carrots, 1092
of beef as affected by cooking temperature, storage and incorporation of surimi, 280
of lamb as influenced by grinding, salt, and vacuum massage time, 1198
of mechanically and cryogenically frozen crayfish, 564
of veal, 1444
proteolytic activity of whiting surimi and heat-set gel, 1116

thawing
model for time calculation in foods, 1031

thermal activation
of actomyosin Mg-ATPases from ordinary and dark muscles of tuna and sardine, 1521

thermal conductivity
of cellular tissues during drying: prediction by computer model, 194
of lamb meat, offals and fat, 508
prediction of fruit juices by thermal resistance model, 1007

thermal death determination
design and evaluation of thermoresistometer, 451

thermal denaturation
role in determining rheological properties of heat induced networks for ovalbumin and vicilin, 1624

thermal processing
See processing, thermal

thermal resistance
effect of sucrose and heating temperature on *S. aureus*, 936
prediction of thermal conductivity of fruit juices by model of, 1007

thermodynamics
water sorption equilibrium expression for solid foods based on, 738

thermophysics
of apple juice as function of concentration and temperature, 663

thermoradiation
Salmonella inactivation in liquid whole egg by, 902

thermoresistometer
thermal death determination: design and evaluation of, 451

thiamin
effect of irradiation and post-irradiation cooking and storage on content of pork, 1461
effect of processing and storage on fate of in goat's milk, 30

TDT
analysis of method for handling process and kinetic data, 1322

tilapia
scanning calorimetric behavior of myosin and actin due to processing of muscle and protein purification, 49

TTI (time-temp indicators)
applicability as shelf life monitors of food products, 783
reliability of as food quality monitors under nonisothermal conditions, 789

tissue culture
development of system from immature strawberries, 388

titin
degradation of in beef steaks varying in tenderness, 748

tocopherol
effect of dietary supplementation on lipid composition and stability of broiler meat, 1457
effect of microwave energy on soybean seeds, 1596
effects of membranal lipid stability and pork product quality, 1193

tomato
design of modified atmosphere packaging systems: modeling oxygen concentrations within sealed packages of, 1413
effect of paste on rheological properties and particle size distribution of model oil-in-water emulsions, 437
peroxidase: isolation and characterization, 1269
quality changes in and resistance to *Alternaria* as influenced by varying storage temperature, 376

toughening
effect of chemical additives on pollock fillets, 1101
effect of mixing and moisture modification on in pollock during frozen storage, 1524

tortilla
changes in corn and sorghum during baking, 330

tropomyosin
contribution of to fish muscle gel characteristics, 258

trout, rainbow (*Salmo gairdneri*)
gelation of: effect of pH, NaCl and setting, 805
lipid protection factors in muscle cytosol, 809

trypsin
effect of phytate on solubility, activity and conformation of, 695

tryptophan
reactions of Cl and chlorine dioxide with, 1057

tuna
thermal activation of Mg-ATPases from ordinary and dark muscles of, 1521

turkey
influence of pH, NaCl, Na-TPP and cooking temperature on myoglobin denaturation and color in, 536
lipid oxidation and sensory analysis of stored under modified atmospheres, 846
quality characteristics of with variable alginate/Ca-lactate ratios, 558
shelf-life of algin/Ca restructured products held under aerobic and anaerobic conditions, 1147

tyramine
in preserved and semi-preserved fish products, 1653

tyrosinase
activity and isoenzymes in developing mushrooms, 128
activity in muahrooms, 1377

U

ultrafiltration
development of syrups from cheese whey permeate and utilization in ice cream, 880
effect of manufacturing parameters on quality of cheddar cheese made from milk, 573
molecular cut-off of membranes and quality and stability of apple juice, 1250
production of microbiologically stable apple juice by metallic membrane, 408
pectinase recovery from apple juice, 412

ultrasonic
effect of vibration on fluid-to-particle convective heat transfer coefficients, 229
waves to detect sealworms in fish tissue, 244

ultrasound
processing parameters of chymosin extraction by, 700

ultrastructure
muscle changes in prawns during iced storage, 1125

ultraviolet
conversion of provitamin D_3 to vitamin D_3 by in fish muscle, 1070
effect of irradiation on thermal gelation of muscle pastes, 1438

uracil
as indicator of spoilage in egg products, 581

urea
species identification of shrimp by gel IEF, 233

V

vacuum
chemical, textural and sensory characteristics of lamb as influenced by massage time, 1198
effects of brine and CO_2 chilling systems on packaged pork, 299
effects of gas atmosphere and stgorage on shelflife and sensory attributes of packaged ground beef, 284
effect of massage time on chemical, textural and sensory characteristics of chuck, 843
effects of K sorbate, Na acetate, phosphates and NaCl on shelf life of packaged pork, 302
effect of storage temperature, time, and method of slicing on microbial population and white film development on packaged dry-cured ham, 871
effects on adhesion at sealant-meat interface in cook-in packaging system for processed meat, 863
low-temperature dehydration approach for low-temperature and low-pressure food drying, 1573
microbiological, chemical, and physical changes in packaged pork treated with organic acids and salts, 18
production of peanut flour from microwave dried peanuts, 187

valves
determination of migrants from rubber gaskets of commercial aerosol used in food packaging, 465

vanillin
binding of fababean proteins, 105
sensory evaluation of binding by fababean proteins, 324

veal
sensory characteristics, texture, color and nutrient content of, 1444

vegetables
directly-acidified carrot slices for ingredients in refrigerated salads, 90
explosion puffing of, 772
method for vitamin C content using peroxidase, 374
mutagenic flavonol aglycones in fresh and pickled, 1492

venison
evaluation of color by method using CIELAB values, 1661

vibration
effect of ultrasonic on fluid-to-particle convective heat transfer coefficients, 229

***Vibrio* B-30**
improved tenderness of steaks by collagenase derived from, 855

vicilin
role of thermal denaturation-aggregation in determining rheological properties of heat induced networks for, 1624

virus
ingredient effects on thermal inactivation of foot-and-mouth disease in meat products, 1479

viscoelasticity
dynamic behavior of F-actin on heating, 231

viscometer
evaluation of helical screw rheometer as on-line, 483

viscosity
factors affecting wheat flour amylographic maximum, 610
properties of sago starches on amylography, 177

vitamin(s)
ascorbic acid and protein content of potatoes in relation to tuber anatomy, 220
B_{12}: impact of Na ascorbate and Na erythorbate on content of cured ham, 1473
C: bioavailability of calcium from sesame seeds, almond powder, whole wheat bread, spinach and nonfat dry milk in rats, 146; effect of surface freezing on retention in water blanched potato strips, 1090; method for assay in fruits and vegetables using peroxidase, 374; use of acidification, low temperature, and sorbates for storage of orange juice, 674
Comparison of ferric glycinate to ferrous sulfate in model infant formulas: kinetics of losses, 1530

D_3: conversion of provitamin to vitamin by UV rays in fish muscle, 1070
E: effects of microwave energy on tocopherols of soybean seeds, 1596; effect of supplementation on lipid composition and stability of broiler meat, 1457; improvement of pigment and lipid stability in Holstein beef by dietary supplementation with, 858; supplementation of Holstein steers improves steak color, 485
effect of oxygen on thermal degradation of 5-methyl-5,6,7,8-THFA, 146
effect of processing and storage on fate of B_1, B_2, and C and on shelf life of goat's milk, 30

volatiles
constituents of stored orange juice, 82
effect of pH and heat treatment on formation in garlic, 632
flavor components in crayfish waste, 1515
identification from glassine packages, 770

W

washing
procedures for whiting surimi production, 248

waste
volatile flavor components in crayfish, 1515

wastewater
recovery of amino acids from seafood processing, 60

water
activity and mobility in sweetened whole soy concentrates and rheological properties, 931
characterization and utilization of wash water from clam processing plants as flavoring agents, 55
characterization of soluble egg yolk proteins with IEF, 764
comparison of methods used to characterize imbibition in hard-to-cook beans, 326
correlation of proton T_1 with polymer and solute in starch-sucrose mixtures, 691
effect of heating rate and protein concentration on loss in muscle protein gels, 850
effect of storage on content of beans, 1373
effect of sugars on diffusivity in hydrated granular starches, 1496
effect of surface freezing on ascorbic acid retention in blanched potato, 1090
effect of tomato paste on rheological properties and particle size distribution of emulsions, 437
effect of concentration of glucosinolates of canola, 1306
recovery of amino acids from seafood processing waste, 60
tainting and depuration of taint by lobster exposed to fuel oil contaminated: relationship with aromatic hydrocarbon content in tissue, 240

water activity
concentration models for solutions of sugars, salts and acids, 1318
effect of milk on acid production by *S. thermophilus* and *L. bulgaricus*, 917
effect of storage on beans, 1373
factorial approach to modeling high moisture food, 925
fate of *C. sporogenes* in fish sausage with adjusted, 1129
in sweetened whole soy concentrates and rheological properties, 931
interaction with antibiotics on *S. thermophilus* and *L. bulgaricus*, 922
NMR relaxation studies of NaCl/lactoglobulin system equilibrated at various, 909
of mayonnaises, 1658

water holding capacity
in beans: effect of pH and ionic strength, 1080

water retention
influence of poultry species, muscle groups, and NaCl in heat-set muscle gels, 1136

water sorption
equilibrium expression for solid foods based on thermodynamic considerations, 738
temperature dependence of isosteric heat in dehydrated foods, 1620

wheat
bioavailability of calcium from bread in rats, 146
factors affecting flour amylographic maximum viscosity, 610
properties and structure of amylose-glyceryl monostearate complexes formed on extrusion of flour, 950
sensory evaluation of baked foods incorporating different levels of DDGS from soft white winter, 337

whey
batch hydrolysis of lactose in systems, 1086
clarification of cheese by aqueous two-phase systems, 1369
development of syrups from cheese UF permeate and utilization in ice cream, 880
effect of lysozyme, clupeine, and sucrose on foaming properties of protein isolate and β-lactoglobulin, 743
effect of pretreatment on composition and functional properties of protein concentrate, 25
effect of proteolysis on allergenicity of proteins, 1037
fermentation of baker's yeast cultivated on cheese permeate, 1238
properties of pea protein blends in model system, 1287

whiskey
classification by component analysis, 1351

whitefish
effect of processing on lipid stability in smoked, 52

whiting (*Merluccius productus*)
procedures for washing for surimi production, 248
proteolytic activity of surimi from, 1116

wieners
characteristics of -type products substituted with oat protein isolates, 1450
processing, sensory and chemical properties of, prepared from CO_2, brine and chilled beef, 277

wine
canonical variate and principal component analyses of descriptive analysis data, 1355

wrap
stability of anthocyanins in apples stored under heat shrinkable, 405

X

xanthophylls
chromatography in eggs from hens fed Bermuda grass meal, 584

Y

yeast
effect of fermentation by cultures on phytic acid and polyphenol content of pearl millet, 780
fermentation of baker's cultivated on cheese whey permeate, 1238

yogurt
determination of organic acids by HPLC, 1076

Z

zinc
effect of pH on solubility following digestion of soy protein isolate, 587